

Year	Distirct	School	Enrollment	Total Materials	Materials per Student	Total Supplies	Supplies per Student	Total per Student
2008	001-090	1050	292	2500	8.56	700	2.40	10.96
2008	001-091	1050	502	16864	33.59	1175	2.34	35.93
2008	001-091	3000	564	8100	14.36	1200	2.13	16.49
2008	001-091	4030	580	6450	11.12	820	1.41	12.53
2008	001-091	4050	550	8500	15.45	150	0.27	15.73
2008	001-092	1050	250	5352	21.41	251	1.00	22.41
2008	002-089	1000	360	4516	12.54	0	0.00	12.54
2008	002-090	4020	146	7000	47.95	1000	6.85	54.79
2008	002-097	1050	766	9760	12.74	401	0.52	13.27
2008	002-097	3000	490	17117	34.93	247	0.50	35.44
2008	002-097	4010	140	5866	41.90	0	0.00	41.90
2008	002-097	4015	106	5820	54.91	0	0.00	54.91
2008	002-097	4020	267	7200	26.97	800	3.00	29.96
2008	002-097	4040	600	7500	12.50	2033	3.39	15.89
2008	003-031	1050	200	3161	15.81	2544	12.72	28.53
2008	003-031	4020	194	2092	10.78	1633	8.42	19.20
2008	003-032	1050	179	1369	7.65	686	3.83	11.48
2008	003-032	4020	187	0	0.00	0	0.00	0.00
2008	003-033	1000	169	17517	103.65	138	0.82	104.47
2008	004-106	1000	338	8587	25.41	775	2.29	27.70
2008	004-109	1050	300	8453	28.18	1490	4.97	33.14
2008	004-109	4020	320	13827	43.21	4000	12.50	55.71
2008	004-110	1050	0	18506	#DIV/0!	910	#DIV/0!	#DIV/0!
2008	004-110	2050	0	13050	#DIV/0!	1500	#DIV/0!	#DIV/0!
2008	004-110	4020	435	8373	19.25	969	2.23	21.48
2008	004-110	4060	0	9300	#DIV/0!	600	#DIV/0!	#DIV/0!
2008	004-110	4080	0	7280	#DIV/0!	1600	#DIV/0!	#DIV/0!
2008	005-120	1050	484	18000	37.19	0	0.00	37.19
2008	005-121	1050	264	6010	22.77	490	1.86	24.62
2008	005-121	4020	614	18296	29.80	1310	2.13	31.93
2008	005-122	1000	323	5800	17.96	1198	3.71	21.67
2008	005-123	1050	708	9127	12.89	2716	3.84	16.73
2008	005-123	3000	583	8557	14.68	1619	2.78	17.45
2008	005-123	4020	775	10735	13.85	909	1.17	15.02
2008	005-124	1000	706	12414	17.58	0	0.00	17.58
2008	005-127	4020	163	3269	20.06	459	2.82	22.87
2008	005-128	1050	612	21748	35.54	1568	2.56	38.10
2008	005-128	3000	314	10968	34.93	1578	5.03	39.96
2008	005-128	4020	718	14260	19.86	1000	1.39	21.25

2008	005-128	4040	450	16710	37.13	1140	2.53	39.67
2008	006-101	1050	265	3222	12.16	1030	3.89	16.05
2008	006-101	4020	260	5925	22.79	500	1.92	24.71
2008	006-103	1000	255	1187	4.65	6049	23.72	28.38
2008	006-104	1050	415	3491	8.41	3000	7.23	15.64
2008	006-104	3000	310	7200	23.23	2000	6.45	29.68
2008	006-104	4020	302	1500	4.97	1500	4.97	9.93
2008	006-104	4040	311	1500	4.82	1500	4.82	9.65
2008	007-121	1050	256	13500	52.73	1000	3.91	56.64
2008	007-122	1050	134	2989	22.31	737	5.50	27.81
2008	007-123	1050	719	18462	25.68	765	1.06	26.74
2008	007-124	1050	200	2000	10.00	100	0.50	10.50
2008	007-124	4020	200	3000	15.00	100	0.50	15.50
2008	007-125	1000	134	0	0.00	0	0.00	0.00
2008	007-126	4020	56	1688	30.14	62	1.11	31.25
2008	007-129	1050	482	11000	22.82	1700	3.53	26.35
2008	007-129	4020	556	5500	9.89	750	1.35	11.24
2008	008-106	1050	250	5561	22.24	771	3.08	25.33
2008	008-106	4020	290	5561	19.18	771	2.66	21.83
2008	008-107	1050	725	15054	20.76	4250	5.86	26.63
2008	008-107	4020	395	6807	17.23	903	2.29	19.52
2008	008-107	4040	232	4330	18.66	563	2.43	21.09
2008	008-111	1000	758	10700	14.12	4000	5.28	19.39
2008	009-077	1050	287	5106	17.79	853	2.97	20.76
2008	009-077	4020	281	6621	23.56	191	0.68	24.24
2008	009-078	1000	214	3674	17.17	202	0.94	18.11
2008	009-079	1050	107	4258	39.79	101	0.94	40.74
2008	009-079	4020	134	5423	40.47	201	1.50	41.97
2008	009-080	1050	421	490	1.16	391	0.93	2.09
2008	009-080	4040	483	5746	11.90	2500	5.18	17.07
2008	010-087	1050	452	5254	11.62	1761	3.90	15.52
2008	010-087	3000	416	6701	16.11	200	0.48	16.59
2008	010-087	4010	320	6343	19.82	499	1.56	21.38
2008	010-087	4020	220	3115	14.16	640	2.91	17.07
2008	010-089	1050	375	9257	24.69	1831	4.88	29.57
2008	010-089	3000	310	10455	33.73	1590	5.13	38.85
2008	010-089	4020	392	8561	21.84	508	1.30	23.14
2008	010-089	4040	248	38850	156.65	885	3.57	160.22
2008	010-090	1050	140	14642	104.59	2000	14.29	118.87
2008	010-090	4020	306	14223	46.48	2000	6.54	53.02
2008	010-091	1050	410	7448	18.17	288	0.70	18.87
2008	010-091	3000	433	18908	43.67	3063	7.07	50.74
2008	010-091	4020	492	15502	31.51	329	0.67	32.18
2008	010-092	1050	200	2450	12.25	550	2.75	15.00
2008	010-092	4020	400	3566	8.92	1000	2.50	11.42
2008	010-093	1020	178	4358	24.48	729	4.10	28.58
2008	010-093	1050	2143	43328	20.22	2864	1.34	21.55

2008	010-093	1075	1715	35722	20.83	3122	1.82	22.65
2008	010-093	2050	845	18726	22.16	859	1.02	23.18
2008	010-093	2060	753	19339	25.68	1250	1.66	27.34
2008	010-093	2075	965	24305	25.19	2713	2.81	28.00
2008	010-093	3000	707	16130	22.81	1043	1.48	24.29
2008	010-093	3040	867	20688	23.86	2703	3.12	26.98
2008	010-093	3060	809	16008	19.79	1345	1.66	21.45
2008	010-093	4020	262	5791	22.10	1883	7.19	29.29
2008	010-093	4040	513	10557	20.58	747	1.46	22.04
2008	010-093	4050	165	5064	30.69	687	4.16	34.85
2008	010-093	4055	725	13653	18.83	794	1.10	19.93
2008	010-093	4060	558	15690	28.12	854	1.53	29.65
2008	010-093	4080	289	7535	26.07	366	1.27	27.34
2008	010-093	5000	326	7291	22.37	603	1.85	24.21
2008	010-093	5010	690	12923	18.73	876	1.27	20.00
2008	010-093	5020	334	8060	24.13	359	1.07	25.21
2008	010-093	5025	267	10565	39.57	1193	4.47	44.04
2008	010-093	5030	762	13924	18.27	2067	2.71	20.99
2008	010-093	5035	320	8163	25.51	625	1.95	27.46
2008	010-093	5040	473	11127	23.52	781	1.65	25.18
2008	010-093	5060	228	8266	36.25	631	2.77	39.02
2008	010-093	5080	491	8939	18.21	331	0.67	18.88
2008	010-093	6000	526	10489	19.94	1305	2.48	22.42
2008	010-093	6010	545	10091	18.52	1534	2.81	21.33
2008	010-093	6020	309	8784	28.43	179	0.58	29.01
2008	010-093	6040	285	6255	21.95	620	2.18	24.12
2008	011-076	1050	243	2138	8.80	784	3.23	12.02
2008	011-076	3000	164	1891	11.53	249	1.52	13.05
2008	011-076	4040	327	2153	6.58	401	1.23	7.81
2008	011-078	1050	356	4210	11.83	1500	4.21	16.04
2008	011-079	1050	166	2859	17.22	0	0.00	17.22
2008	011-079	4020	196	5400	27.55	0	0.00	27.55
2008	011-082	1050	873	12160	13.93	0	0.00	13.93
2008	011-082	1075	1716	9967	5.81	124	0.07	5.88
2008	011-082	1080	794	10000	12.59	429	0.54	13.13
2008	011-082	3000	365	5641	15.45	497	1.36	16.82
2008	011-082	3010	557	6912	12.41	200	0.36	12.77
2008	011-082	3020	460	5020	10.91	0	0.00	10.91
2008	011-082	3050	428	8084	18.89	400	0.93	19.82
2008	011-082	4040	314	6032	19.21	200	0.64	19.85
2008	011-082	4060	290	4668	16.10	0	0.00	16.10
2008	011-082	4100	334	6261	18.75	0	0.00	18.75
2008	011-082	4120	357	6228	17.45	100	0.28	17.73
2008	011-082	4140	527	6160	11.69	336	0.64	12.33
2008	011-082	4180	412	7798	18.93	0	0.00	18.93
2008	011-082	4200	370	4407	11.91	200	0.54	12.45
2008	011-082	4220	480	6871	14.31	0	0.00	14.31

2008	011-082	4240	250	3848	15.39	0	0.00	15.39
2008	011-082	4260	413	5247	12.70	373	0.90	13.61
2008	011-082	4280	270	4938	18.29	84	0.31	18.60
2008	011-082	4360	271	4613	17.02	0	0.00	17.02
2008	011-082	4380	287	5595	19.49	210	0.73	20.23
2008	011-082	4390	352	6188	17.58	0	0.00	17.58
2008	011-082	4400	267	4917	18.42	45	0.17	18.58
2008	011-082	4420	306	5924	19.36	100	0.33	19.69
2008	011-082	4460	440	6622	15.05	0	0.00	15.05
2008	011-082	4540	239	2968	12.42	0	0.00	12.42
2008	012-108	1050	263	125	0.48	0	0.00	0.48
2008	012-108	4040	143	57	0.40	0	0.00	0.40
2008	012-108	4060	200	62	0.31	0	0.00	0.31
2008	012-109	1000	4889	0	0.00	0	0.00	0.00
2008	012-109	2050	716	13156	18.37	750	1.05	19.42
2008	012-109	4020	381	7331	19.24	456	1.20	20.44
2008	012-109	4040	704	11732	16.66	1181	1.68	18.34
2008	012-109	4080	251	1000	3.98	769	3.06	7.05
2008	012-109	5020	409	7056	17.25	467	1.14	18.39
2008	012-109	5040	455	8567	18.83	756	1.66	20.49
2008	012-109	5060	438	1370	3.13	225	0.51	3.64
2008	012-110	1050	316	9295	29.41	245	0.78	30.19
2008	012-110	4040	383	5500	14.36	500	1.31	15.67
2008	012-110	4060	299	5200	17.39	600	2.01	19.40
2008	013-054	1000	104	2200	21.15	1500	14.42	35.58
2008	013-055	1050	240	7500	31.25	550	2.29	33.54
2008	013-055	3000	221	3000	13.57	900	4.07	17.65
2008	013-055	4020	250	3400	13.60	200	0.80	14.40
2008	013-057	4020	41	130	3.17	0	0.00	3.17
2008	013-058	4020	27	70	2.59	0	0.00	2.59
2008	013-059	1050	367	4116	11.22	0	0.00	11.22
2008	013-060	4020	56	200	3.57	0	0.00	3.57
2008	013-061	1000	355	0	0.00	0	0.00	0.00
2008	013-062	4020	54	880	16.30	461	8.54	24.83
2008	014-126	1050	492	7100	14.43	3000	6.10	20.53
2008	014-126	4020	383	4900	12.79	1300	3.39	16.19
2008	014-126	4040	285	5350	18.77	1300	4.56	23.33
2008	014-126	4060	200	4550	22.75	1000	5.00	27.75
2008	014-127	1050	330	12508	37.90	250	0.76	38.66
2008	014-127	4020	397	10856	27.35	589	1.48	28.83
2008	014-129	1050	762	7686	10.09	8670	11.38	21.46
2008	014-129	3000	470	14994	31.90	1786	3.80	35.70
2008	014-129	4010	255	4797	18.81	1619	6.35	25.16
2008	014-129	4020	350	8128	23.22	587	1.68	24.90
2008	014-129	4080	363	7845	21.61	777	2.14	23.75
2008	014-130	1050	320	9053	28.29	1193	3.73	32.02
2008	014-130	3000	421	8125	19.30	507	1.20	20.50

2008	014-130	4020	245	3112	12.70	254	1.04	13.74
2008	014-400	1000	105	0	0.00	0	0.00	0.00
2008	015-001	1000	513	10238	19.96	1028	2.00	21.96
2008	015-002	1050	1440	38700	26.88	2200	1.53	28.40
2008	015-002	3000	643	20466	31.83	7233	11.25	43.08
2008	015-002	4020	717	13000	18.13	3000	4.18	22.32
2008	015-002	4030	651	16150	24.81	2500	3.84	28.65
2008	015-002	4040	146	8813	60.36	2919	19.99	80.36
2008	015-002	4050	474	30500	64.35	2500	5.27	69.62
2008	015-002	4080	183	12467	68.13	2130	11.64	79.77
2008	015-003	1000	233	10561	45.33	1000	4.29	49.62
2008	016-090	1050	1226	33269	27.14	1100	0.90	28.03
2008	016-090	2050	764	29656	38.82	5458	7.14	45.96
2008	016-090	3000	727	29999	41.26	1600	2.20	43.46
2008	016-090	4015	545	9341	17.14	444	0.81	17.95
2008	016-090	4060	68	1600	23.53	100	1.47	25.00
2008	016-090	4100	93	1600	17.20	150	1.61	18.82
2008	016-090	4110	284	9000	31.69	360	1.27	32.96
2008	016-090	4130	507	13963	27.54	277	0.55	28.09
2008	016-090	4160	429	13902	32.41	514	1.20	33.60
2008	016-092	1050	16	3619	226.19	501	31.31	257.50
2008	016-092	4020	160	2225	13.91	357	2.23	16.14
2008	016-094	1050	171	8575	50.15	0	0.00	50.15
2008	016-094	4020	171	8575	50.15	0	0.00	50.15
2008	016-096	1050	1297	19100	14.73	3000	2.31	17.04
2008	016-096	2050	608	12875	21.18	800	1.32	22.49
2008	016-096	4020	302	3000	9.93	350	1.16	11.09
2008	016-096	4040	223	2758	12.37	150	0.67	13.04
2008	016-096	4050	292	4100	14.04	498	1.71	15.75
2008	016-096	4060	304	4194	13.80	200	0.66	14.45
2008	016-096	4080	344	5700	16.57	500	1.45	18.02
2008	016-096	4090	529	6725	12.71	150	0.28	13.00
2008	016-097	4020	323	6592	20.41	350	1.08	21.49
2008	017-121	1050	190	6337	33.35	493	2.59	35.95
2008	017-122	1000	198	3894	19.67	379	1.91	21.58
2008	017-124	1000	109	4853	44.52	459	4.21	48.73
2008	017-125	1000	490	1496	3.05	1086	2.22	5.27
2008	017-125	3000	158	0	0.00	0	0.00	0.00
2008	017-125	4040	374	0	0.00	0	0.00	0.00
2008	017-126	1050	233	4234	18.17	585	2.51	20.68
2008	018-047	1050	348	3822	10.98	1429	4.11	15.09
2008	018-047	4020	399	4919	12.33	782	1.96	14.29
2008	018-050	1050	264	1519	5.75	140	0.53	6.28
2008	018-050	4020	222	1519	6.84	140	0.63	7.47
2008	019-139	1050	587	18941	32.27	1111	1.89	34.16
2008	019-140	4020	93	2471	26.57	76	0.82	27.39
2008	019-142	1050	1346	17500	13.00	5300	3.94	16.94

2008	019-142	1060	450	18000	40.00	5000	11.11	51.11
2008	019-142	3000	879	15800	17.97	7000	7.96	25.94
2008	019-142	4020	381	9678	25.40	2400	6.30	31.70
2008	019-142	4040	446	8720	19.55	1501	3.37	22.92
2008	019-142	4050	257	51222	199.31	1704	6.63	205.94
2008	019-142	4060	386	13154	34.08	0	0.00	34.08
2008	019-142	4070	463	8780	18.96	1317	2.84	21.81
2008	019-142	4080	416	8340	20.05	2500	6.01	26.06
2008	019-142	4090	368	55286	150.23	5282	14.35	164.59
2008	019-142	5000	470	10400	22.13	3060	6.51	28.64
2008	019-144	1050	476	20716	43.52	1849	3.88	47.41
2008	019-144	4020	370	5718	15.45	434	1.17	16.63
2008	019-147	4020	200	11105	55.53	146	0.73	56.26
2008	019-148	1050	730	24500	33.56	2500	3.42	36.99
2008	019-148	3000	353	17406	49.31	2500	7.08	56.39
2008	019-148	4020	450	13112	29.14	1133	2.52	31.66
2008	019-148	4040	334	16400	49.10	2500	7.49	56.59
2008	019-148	4060	337	22743	67.49	5156	15.30	82.79
2008	019-149	1050	806	21960	27.25	4164	5.17	32.41
2008	019-149	3000	596	36500	61.24	4100	6.88	68.12
2008	019-149	4020	470	14060	29.91	900	1.91	31.83
2008	019-149	4040	437	15771	36.09	1803	4.13	40.22
2008	019-149	4060	210	7372	35.10	500	2.38	37.49
2008	019-150	1000	299	20433	68.34	1941	6.49	74.83
2008	019-151	1050	267	6800	25.47	1000	3.75	29.21
2008	019-151	4020	300	7800	26.00	1000	3.33	29.33
2008	019-152	1050	979	19521	19.94	639	0.65	20.59
2008	019-152	1055	385	8451	21.95	385	1.00	22.95
2008	019-152	3000	693	10310	14.88	1470	2.12	17.00
2008	019-152	4020	403	10095	25.05	587	1.46	26.51
2008	019-152	4040	270	9869	36.55	575	2.13	38.68
2008	019-152	4050	279	10264	36.79	369	1.32	38.11
2008	019-152	4060	354	5629	15.90	849	2.40	18.30
2008	019-152	4080	686	9585	13.97	337	0.49	14.46
2008	019-152	4090	513	135801	264.72	4733	9.23	273.95
2008	020-001	1050	318	4968	15.62	500	1.57	17.19
2008	020-001	3000	253	6300	24.90	605	2.39	27.29
2008	020-001	4020	490	4300	8.78	801	1.63	10.41
2008	020-002	1050	700	7000	10.00	1000	1.43	11.43
2008	020-002	4040	587	3950	6.73	700	1.19	7.92
2008	021-148	1050	200	2025	10.13	1225	6.13	16.25
2008	021-149	1000	0	2024	#DIV/0!	1045	#DIV/0!	#DIV/0!
2008	021-150	1050	180	7818	43.43	596	3.31	46.74
2008	021-151	1050	281	3275	11.65	241	0.86	12.51
2008	021-151	4040	199	2995	15.05	314	1.58	16.63
2008	022-088	1050	229	3715	16.22	947	4.14	20.36
2008	022-089	1050	1454	47253	32.50	5889	4.05	36.55

2008	022-089	3000	777	20294	26.12	518	0.67	26.79
2008	022-089	4020	349	12498	35.81	0	0.00	35.81
2008	022-089	4040	442	11146	25.22	3366	7.62	32.83
2008	022-089	4050	439	17519	39.91	1148	2.62	42.52
2008	022-089	4060	524	9928	18.95	1460	2.79	21.73
2008	022-089	4070	539	13762	25.53	1582	2.94	28.47
2008	022-089	4080	294	10708	36.42	1282	4.36	40.78
2008	022-089	4090	346	6433	18.59	2878	8.32	26.91
2008	022-090	1050	354	6836	19.31	1500	4.24	23.55
2008	022-090	4020	327	6734	20.59	1500	4.59	25.18
2008	022-091	1000	471	9083	19.28	554	1.18	20.46
2008	022-092	1050	890	15502	17.42	1030	1.16	18.58
2008	022-093	1050	1453	25454	17.52	1184	0.81	18.33
2008	022-093	2050	791	11308	14.30	4476	5.66	19.95
2008	022-093	4040	550	10242	18.62	2304	4.19	22.81
2008	022-093	4060	801	14811	18.49	4912	6.13	24.62
2008	022-093	4070	621	10597	17.06	2036	3.28	20.34
2008	022-093	4080	466	12411	26.63	1976	4.24	30.87
2008	022-093	4085	470	11606	24.69	1537	3.27	27.96
2008	022-094	1050	226	8918	39.46	918	4.06	43.52
2008	022-094	3000	156	4501	28.85	1011	6.48	35.33
2008	022-094	4020	374	8103	21.67	2878	7.70	29.36
2008	023-094	4020	31	595	19.19	0	0.00	19.19
2008	023-096	4020	27	368	13.63	255	9.44	23.07
2008	023-099	4020	57	0	0.00	0	0.00	0.00
2008	023-101	1050	327	1652	5.05	0	0.00	5.05
2008	023-101	3000	224	4853	21.67	0	0.00	21.67
2008	023-101	4040	291	9933	34.13	10926	37.55	71.68
2008	023-101	4060	107	4114	38.45	590	5.51	43.96
2008	024-086	1050	887	15600	17.59	2500	2.82	20.41
2008	024-086	2050	583	8800	15.09	1200	2.06	17.15
2008	024-086	3000	0	23375	#DIV/0!	700	#DIV/0!	#DIV/0!
2008	024-086	4020	135	2150	15.93	400	2.96	18.89
2008	024-086	4040	316	8651	27.38	1100	3.48	30.86
2008	024-086	4060	242	8250	34.09	720	2.98	37.07
2008	024-086	4080	361	7806	21.62	4204	11.65	33.27
2008	024-086	5020	474	13614	28.72	250	0.53	29.25
2008	024-087	1050	647	26056	40.27	2685	4.15	44.42
2008	024-087	3000	550	20130	36.60	2000	3.64	40.24
2008	024-087	4020	483	15143	31.35	1887	3.91	35.26
2008	024-087	4040	510	19530	38.29	2000	3.92	42.22
2008	024-090	1000	0	54049	#DIV/0!	5276	#DIV/0!	#DIV/0!
2008	024-090	1050	2035	61775	30.36	2096	1.03	31.39
2008	024-090	2050	837	28233	33.73	652	0.78	34.51
2008	024-090	2070	575	19714	34.29	488	0.85	35.13
2008	024-090	3050	769	28578	37.16	0	0.00	37.16
2008	024-090	3070	626	21307	34.04	397	0.63	34.67

2008	024-090	4020	423	18373	43.43	268	0.63	44.07
2008	024-090	4040	285	16802	58.95	287	1.01	59.96
2008	024-090	4060	607	17944	29.56	382	0.63	30.19
2008	024-090	4080	448	18227	40.69	406	0.91	41.59
2008	024-090	4100	492	20758	42.19	1323	2.69	44.88
2008	024-090	4120	597	21804	36.52	307	0.51	37.04
2008	024-090	4140	691	22693	32.84	300	0.43	33.27
2008	024-090	4160	552	23692	42.92	300	0.54	43.46
2008	024-090	4180	612	26846	43.87	338	0.55	44.42
2008	024-090	7500	162	3842	23.72	0	0.00	23.72
2008	024-091	4020	24	2960	123.33	379	15.79	139.13
2008	024-093	1050	1812	42761	23.60	3089	1.70	25.30
2008	024-093	1075	2121	49611	23.39	1819	0.86	24.25
2008	024-093	1090	1636	40123	24.53	1370	0.84	25.36
2008	024-093	3000	768	20329	26.47	1313	1.71	28.18
2008	024-093	3100	667	18578	27.85	622	0.93	28.79
2008	024-093	3150	740	20519	27.73	155	0.21	27.94
2008	024-093	3180	1079	24751	22.94	3420	3.17	26.11
2008	024-093	3200	662	16978	25.65	1242	1.88	27.52
2008	024-093	4060	281	6930	24.66	100	0.36	25.02
2008	024-093	4080	514	16358	31.82	173	0.34	32.16
2008	024-093	4100	322	8239	25.59	653	2.03	27.61
2008	024-093	4110	698	17194	24.63	122	0.17	24.81
2008	024-093	4120	512	13904	27.16	277	0.54	27.70
2008	024-093	4160	465	13006	27.97	102	0.22	28.19
2008	024-093	4180	342	10056	29.40	112	0.33	29.73
2008	024-093	4200	620	14872	23.99	1332	2.15	26.14
2008	024-093	4280	255	6065	23.78	679	2.66	26.45
2008	024-093	4320	632	15519	24.56	525	0.83	25.39
2008	024-093	4340	139	3470	24.96	0	0.00	24.96
2008	024-093	4380	529	20502	38.76	323	0.61	39.37
2008	024-093	4400	341	9985	29.28	1192	3.50	32.78
2008	024-093	4420	506	12983	25.66	485	0.96	26.62
2008	024-093	4440	341	11355	33.30	252	0.74	34.04
2008	024-093	4500	288	6662	23.13	110	0.38	23.51
2008	024-093	4540	367	9391	25.59	871	2.37	27.96
2008	024-093	4560	272	7801	28.68	160	0.59	29.27
2008	024-093	4570	377	12541	33.27	194	0.51	33.78
2008	024-093	4580	295	8753	29.67	728	2.47	32.14
2008	025-001	1050	496	6500	13.10	3000	6.05	19.15
2008	025-001	3000	489	5910	12.09	900	1.84	13.93
2008	025-001	4020	791	10481	13.25	1500	1.90	15.15
2008	025-002	1050	306	51375	167.89	537	1.75	169.65
2008	025-002	3000	185	5567	30.09	822	4.44	34.54
2008	025-002	4020	396	7003	17.68	1325	3.35	21.03
2008	025-003	1050	269	6230	23.16	2557	9.51	32.67
2008	025-003	3000	0	6230	#DIV/0!	2557	#DIV/0!	#DIV/0!

2008	025-003	4020	365	9409	25.78	890	2.44	28.22
2008	026-001	1000	500	9038	18.08	3273	6.55	24.62
2008	026-001	1050	233	7329	31.45	2305	9.89	41.35
2008	026-002	1050	477	3390	7.11	498	1.04	8.15
2008	026-002	4020	426	5716	13.42	1495	3.51	16.93
2008	026-005	1050	386	8251	21.38	1441	3.73	25.11
2008	026-005	4020	340	6738	19.82	1300	3.82	23.64
2008	026-006	1000	3736	749	0.20	515	0.14	0.34
2008	026-006	1050	1933	29730	15.38	956	0.49	15.87
2008	026-006	1055	684	16445	24.04	455	0.67	24.71
2008	026-006	3000	904	16914	18.71	621	0.69	19.40
2008	026-006	3020	939	16854	17.95	772	0.82	18.77
2008	026-006	4020	519	10395	20.03	406	0.78	20.81
2008	026-006	4025	246	11260	45.77	157	0.64	46.41
2008	026-006	4030	357	10226	28.64	157	0.44	29.08
2008	026-006	4040	273	11403	41.77	157	0.58	42.34
2008	026-006	4050	423	8689	20.54	1657	3.92	24.46
2008	026-006	4060	385	8837	22.95	157	0.41	23.36
2008	026-006	4070	356	9545	26.81	157	0.44	27.25
2008	026-006	4080	255	11606	45.51	157	0.62	46.13
2008	026-006	5000	274	10907	39.81	657	2.40	42.20
2008	026-006	5020	264	8379	31.74	157	0.59	32.33
2008	026-006	5040	384	8879	23.12	307	0.80	23.92
2008	027-055	4020	120	7642	63.68	250	2.08	65.77
2008	027-056	1050	167	7842	46.96	1748	10.47	57.43
2008	027-057	4020	150	1258	8.39	327	2.18	10.57
2008	027-058	1000	254	9540	37.56	0	0.00	37.56
2008	027-059	1000	280	4000	14.29	1939	6.93	21.21
2008	027-061	1050	617	15128	24.52	13200	21.39	45.91
2008	027-061	3000	343	9014	26.28	6017	17.54	43.82
2008	027-061	4020	205	6586	32.13	214	1.04	33.17
2008	027-061	4040	432	5850	13.54	3340	7.73	21.27
2008	028-101	1050	349	3000	8.60	900	2.58	11.17
2008	028-101	4020	712	0	0.00	0	0.00	0.00
2008	028-102	1050	400	14101	35.25	531	1.33	36.58
2008	028-102	3000	416	15200	36.54	700	1.68	38.22
2008	028-102	4020	584	10500	17.98	700	1.20	19.18
2008	028-103	1050	278	0	0.00	0	0.00	0.00
2008	028-103	3000	710	4517	6.36	0	0.00	6.36
2008	029-001	1050	122	2031	16.65	316	2.59	19.24
2008	029-001	4020	213	1344	6.31	504	2.37	8.68
2008	029-002	1000	169	5981	35.39	507	3.00	38.39
2008	029-003	1050	0	4681	#DIV/0!	689	#DIV/0!	#DIV/0!
2008	029-004	1050	250	12796	51.18	445	1.78	52.96
2008	029-004	4020	252	12748	50.59	0	0.00	50.59
2008	030-093	1050	587	26250	44.72	4750	8.09	52.81
2008	030-093	3000	565	12053	21.33	3320	5.88	27.21

2008	030-093	4020	580	11102	19.14	3838	6.62	25.76
2008	030-093	4040	116	2475	21.34	1000	8.62	29.96
2008	031-116	1000	162	1695	10.46	137	0.85	11.31
2008	031-117	4020	173	3521	20.35	1453	8.40	28.75
2008	031-121	1050	290	9333	32.18	519	1.79	33.97
2008	031-121	4020	316	3441	10.89	698	2.21	13.10
2008	031-122	1050	176	745	4.23	0	0.00	4.23
2008	032-054	1050	127	4504	35.46	0	0.00	35.46
2008	032-055	1050	299	4000	13.38	800	2.68	16.05
2008	032-055	4060	327	0	0.00	0	0.00	0.00
2008	032-056	1050	154	2341	15.20	10	0.06	15.27
2008	032-058	1000	300	6426	21.42	2000	6.67	28.09
2008	033-090	1050	495	11085	22.39	7630	15.41	37.81
2008	033-090	2050	381	10000	26.25	1500	3.94	30.18
2008	033-090	4020	277	7000	25.27	600	2.17	27.44
2008	033-090	4040	365	8130	22.27	1300	3.56	25.84
2008	033-091	4020	109	3293	30.21	429	3.94	34.15
2008	033-092	4020	200	7300	36.50	0	0.00	36.50
2008	033-093	4020	278	4060	14.60	1494	5.37	19.98
2008	033-094	4020	200	3912	19.56	754	3.77	23.33
2008	034-121	4020	100	1500	15.00	0	0.00	15.00
2008	034-122	4020	95	1122	11.81	200	2.11	13.92
2008	034-124	1050	548	23506	42.89	2000	3.65	46.54
2008	034-124	3000	419	17975	42.90	1449	3.46	46.36
2008	034-124	4020	485	17000	35.05	1500	3.09	38.14
2008	035-092	1050	500	8434	16.87	700	1.40	18.27
2008	035-092	4020	580	11108	19.15	1386	2.39	21.54
2008	035-093	1050	286	7028	24.57	645	2.26	26.83
2008	035-093	4020	353	5738	16.25	931	2.64	18.89
2008	035-094	1000	620	6595	10.64	1693	2.73	13.37
2008	035-097	1050	152	2043	13.44	860	5.66	19.10
2008	035-097	4020	201	3514	17.48	860	4.28	21.76
2008	035-098	1050	238	5333	22.41	1586	6.66	29.07
2008	035-098	3000	274	3800	13.87	400	1.46	15.33
2008	035-098	4010	340	5193	15.27	4745	13.96	29.23
2008	035-099	1050	383	3926	10.25	607	1.58	11.84
2008	035-102	1050	550	8439	15.34	1861	3.38	18.73
2008	035-102	3000	424	8881	20.95	410	0.97	21.91
2008	035-102	4040	496	6760	13.63	100	0.20	13.83
2008	035-102	4080	455	6360	13.98	100	0.22	14.20
2008	036-123	4020	156	11610	74.42	2360	15.13	89.55
2008	036-126	1050	1081	6279	5.81	220	0.20	6.01
2008	036-126	3000	501	4653	9.29	1107	2.21	11.50
2008	036-126	3020	282	2791	9.90	305	1.08	10.98
2008	036-126	4020	497	4210	8.47	300	0.60	9.07
2008	036-126	4030	152	2340	15.39	180	1.18	16.58
2008	036-126	4040	487	4392	9.02	300	0.62	9.63

2008	036-126	4060	151	1856	12.29	150	0.99	13.28
2008	036-126	4080	320	2830	8.84	305	0.95	9.80
2008	036-131	1050	870	8538	9.81	1322	1.52	11.33
2008	036-131	3000	485	4580	9.44	520	1.07	10.52
2008	036-131	4010	471	7468	15.86	133	0.28	16.14
2008	036-131	4020	400	0	0.00	0	0.00	0.00
2008	036-131	4040	678	8849	13.05	368	0.54	13.59
2008	036-133	4020	367	9730	26.51	405	1.10	27.62
2008	036-134	4020	259	1429	5.52	491	1.90	7.41
2008	036-135	4020	84	900	10.71	0	0.00	10.71
2008	036-136	1050	928	8513	9.17	700	0.75	9.93
2008	036-136	2050	473	2253	4.76	0	0.00	4.76
2008	036-136	4020	512	300	0.59	0	0.00	0.59
2008	036-136	4040	485	592	1.22	0	0.00	1.22
2008	036-137	1050	753	8868	11.78	277	0.37	12.14
2008	036-137	3000	475	3486	7.34	1595	3.36	10.70
2008	036-137	4020	590	7620	12.92	225	0.38	13.30
2008	036-137	4040	401	4792	11.95	309	0.77	12.72
2008	036-138	1050	221	4752	21.50	93	0.42	21.92
2008	036-138	4020	254	10461	41.19	639	2.52	43.70
2008	036-139	1050	1465	38755	26.45	0	0.00	26.45
2008	036-139	3000	541	15173	28.05	337	0.62	28.67
2008	036-139	4020	164	4434	27.04	0	0.00	27.04
2008	036-139	4040	178	3540	19.89	0	0.00	19.89
2008	036-139	4060	342	6897	20.17	109	0.32	20.49
2008	036-139	4080	150	5033	33.55	79	0.53	34.08
2008	036-139	4100	156	7925	50.80	1250	8.01	58.81
2008	036-139	4120	212	4598	21.69	159	0.75	22.44
2008	036-139	4140	482	10603	22.00	1855	3.85	25.85
2008	036-139	4160	552	7894	14.30	124	0.22	14.53
2008	037-037	1050	700	7277	10.40	900	1.29	11.68
2008	037-037	3000	429	10058	23.45	225	0.52	23.97
2008	037-037	4020	295	7511	25.46	606	2.05	27.52
2008	037-037	4050	570	10057	17.64	800	1.40	19.05
2008	037-039	1050	391	9628	24.62	773	1.98	26.60
2008	037-039	3000	397	7526	18.96	2013	5.07	24.03
2008	037-039	4060	279	3719	13.33	537	1.92	15.25
2008	038-044	1000	331	3467	10.47	1193	3.60	14.08
2008	038-045	1050	165	6015	36.45	185	1.12	37.58
2008	038-045	4020	189	6015	31.83	185	0.98	32.80
2008	038-046	1050	286	5268	18.42	869	3.04	21.46
2008	038-046	4020	178	6628	37.24	589	3.31	40.54
2008	039-133	1050	1221	17492	14.33	1048	0.86	15.18
2008	039-133	3050	640	21771	34.02	462	0.72	34.74
2008	039-133	4000	640	20689	32.33	2583	4.04	36.36
2008	039-133	4020	392	10970	27.98	1181	3.01	31.00
2008	039-133	4040	400	13274	33.19	1129	2.82	36.01

2008	039-133	4060	400	19600	49.00	771	1.93	50.93
2008	039-133	4080	400	20347	50.87	808	2.02	52.89
2008	039-134	1050	1021	17249	16.89	3022	2.96	19.85
2008	039-134	3000	0	9891	#DIV/0!	1084	#DIV/0!	#DIV/0!
2008	039-134	4000	500	4160	8.32	2063	4.13	12.45
2008	039-134	4020	652	8500	13.04	1800	2.76	15.80
2008	039-134	4030	618	8610	13.93	1579	2.56	16.49
2008	039-134	4040	722	7486	10.37	1594	2.21	12.58
2008	039-135	1050	406	13380	32.96	1477	3.64	36.59
2008	039-135	4020	275	5273	19.17	584	2.12	21.30
2008	039-135	4040	161	2710	16.83	284	1.76	18.60
2008	039-136	1050	274	4125	15.05	976	3.56	18.62
2008	039-137	1050	334	10252	30.69	2500	7.49	38.18
2008	039-137	3000	406	8526	21.00	1750	4.31	25.31
2008	039-137	4020	467	9220	19.74	1830	3.92	23.66
2008	039-139	1050	635	15497	24.40	3157	4.97	29.38
2008	039-139	3050	507	10500	20.71	2000	3.94	24.65
2008	039-139	4020	384	12710	33.10	501	1.30	34.40
2008	039-139	4040	673	9000	13.37	2200	3.27	16.64
2008	039-141	1026	600	7662	12.77	669	1.12	13.89
2008	039-141	1050	1524	25678	16.85	5308	3.48	20.33
2008	039-141	1075	1445	24706	17.10	2287	1.58	18.68
2008	039-141	1080	1219	20081	16.47	1256	1.03	17.50
2008	039-141	1085	1719	31860	18.53	3237	1.88	20.42
2008	039-141	1095	1569	29098	18.55	2386	1.52	20.07
2008	039-141	3000	684	13567	19.83	767	1.12	20.96
2008	039-141	3020	644	12716	19.75	939	1.46	21.20
2008	039-141	3040	466	14233	30.54	941	2.02	32.56
2008	039-141	3060	545	10798	19.81	798	1.46	21.28
2008	039-141	3080	734	15882	21.64	898	1.22	22.86
2008	039-141	3100	535	11629	21.74	541	1.01	22.75
2008	039-141	3120	362	13173	36.39	2252	6.22	42.61
2008	039-141	3140	498	11385	22.86	2319	4.66	27.52
2008	039-141	3160	379	6385	16.85	426	1.12	17.97
2008	039-141	4040	374	7434	19.88	332	0.89	20.76
2008	039-141	4060	237	5979	25.23	340	1.43	26.66
2008	039-141	4080	264	5327	20.18	216	0.82	21.00
2008	039-141	4100	174	4220	24.25	273	1.57	25.82
2008	039-141	4120	200	5477	27.39	247	1.24	28.62
2008	039-141	4140	256	5570	21.76	341	1.33	23.09
2008	039-141	4160	218	4573	20.98	357	1.64	22.61
2008	039-141	4240	374	14267	38.15	558	1.49	39.64
2008	039-141	4260	150	3906	26.04	279	1.86	27.90
2008	039-141	4270	526	8792	16.71	254	0.48	17.20
2008	039-141	4280	275	6406	23.29	523	1.90	25.20
2008	039-141	4300	235	6276	26.71	346	1.47	28.18
2008	039-141	4320	432	9272	21.46	331	0.77	22.23

2008	039-141	4330	500	11205	22.41	616	1.23	23.64
2008	039-141	4340	532	10330	19.42	1437	2.70	22.12
2008	039-141	4360	464	9089	19.59	697	1.50	21.09
2008	039-141	4380	598	10969	18.34	683	1.14	19.48
2008	039-141	4400	347	6108	17.60	384	1.11	18.71
2008	039-141	4460	151	5133	33.99	306	2.03	36.02
2008	039-141	4500	296	8338	28.17	409	1.38	29.55
2008	039-141	4510	238	5208	21.88	616	2.59	24.47
2008	039-141	4520	235	4547	19.35	258	1.10	20.45
2008	039-141	4560	277	5431	19.61	332	1.20	20.81
2008	039-141	4580	243	5584	22.98	100	0.41	23.39
2008	039-141	4600	380	7191	18.92	327	0.86	19.78
2008	039-141	4640	306	6820	22.29	307	1.00	23.29
2008	039-141	4680	173	8886	51.36	302	1.75	53.11
2008	039-141	4710	315	8629	27.39	298	0.95	28.34
2008	039-141	4720	241	7358	30.53	582	2.41	32.95
2008	039-141	4740	289	5663	19.60	318	1.10	20.70
2008	039-141	4760	306	6169	20.16	369	1.21	21.37
2008	039-141	4780	442	12451	28.17	1727	3.91	32.08
2008	039-141	4800	339	7026	20.73	519	1.53	22.26
2008	039-141	4820	290	9027	31.13	632	2.18	33.31
2008	039-141	4830	586	33390	56.98	2164	3.69	60.67
2008	039-141	4840	216	4375	20.25	222	1.03	21.28
2008	039-142	1050	350	7328	20.94	833	2.38	23.32
2008	039-142	3000	751	6670	8.88	4647	6.19	15.07
2008	040-100	1050	64	5000	78.13	350	5.47	83.59
2008	040-100	4020	87	15468	177.79	350	4.02	181.82
2008	040-101	4020	60	1030	17.17	498	8.30	25.47
2008	040-103	4020	86	1236	14.37	328	3.81	18.19
2008	040-104	4020	60	1191	19.85	147	2.45	22.30
2008	040-107	1050	746	11889	15.94	500	0.67	16.61
2008	040-107	4060	420	5064	12.06	153	0.36	12.42
2008	041-001	1050	107	2447	22.87	0	0.00	22.87
2008	041-002	1050	376	18179	48.35	814	2.16	50.51
2008	041-002	4020	455	5606	12.32	596	1.31	13.63
2008	041-003	1050	216	3344	15.48	73	0.34	15.82
2008	041-004	1000	155	633	4.08	0	0.00	4.08
2008	041-005	1050	98	3294	33.61	391	3.99	37.60
2008	042-111	1050	278	9441	33.96	2031	7.31	41.27
2008	042-111	4020	299	10701	35.79	2370	7.93	43.72
2008	042-113	4020	60	2242	37.37	108	1.80	39.17
2008	042-118	4020	90	2610	29.00	400	4.44	33.44
2008	042-119	4020	30	953	31.77	100	3.33	35.10
2008	042-121	1050	92	2397	26.05	0	0.00	26.05
2008	042-124	1050	666	7201	10.81	2056	3.09	13.90
2008	042-124	3000	367	6428	17.51	971	2.65	20.16
2008	042-124	4070	739	7059	9.55	866	1.17	10.72

2008	043-001	1050	489	4600	9.41	4600	9.41	18.81
2008	043-001	4020	390	7136	18.30	1790	4.59	22.89
2008	043-002	1050	0	0	#DIV/0!	0	#DIV/0!	#DIV/0!
2008	043-002	4020	0	0	#DIV/0!	0	#DIV/0!	#DIV/0!
2008	043-003	1050	392	10101	25.77	2910	7.42	33.19
2008	043-004	1050	150	13152	87.68	1282	8.55	96.23
2008	043-004	4020	150	14268	95.12	1777	11.85	106.97
2008	044-078	1000	114	1307	11.46	123	1.08	12.54
2008	044-083	1000	292	0	0.00	0	0.00	0.00
2008	044-084	1000	279	4000	14.34	1000	3.58	17.92
2008	045-076	1000	422	3541	8.39	1376	3.26	11.65
2008	045-077	1050	221	3500	15.84	1000	4.52	20.36
2008	045-077	4040	455	3287	7.22	0	0.00	7.22
2008	045-078	1050	268	5550	20.71	125	0.47	21.18
2008	046-128	4020	230	10566	45.94	1663	7.23	53.17
2008	046-130	1050	628	14750	23.49	2000	3.18	26.67
2008	046-130	4010	143	9164	64.08	654	4.57	68.66
2008	046-130	4020	545	15677	28.77	1723	3.16	31.93
2008	046-131	1050	364	8726	23.97	306	0.84	24.81
2008	046-131	3000	375	7774	20.73	699	1.86	22.59
2008	046-131	4040	520	6133	11.79	521	1.00	12.80
2008	046-132	4020	449	5980	13.32	2269	5.05	18.37
2008	046-134	1050	1306	15900	12.17	8000	6.13	18.30
2008	046-134	3000	529	11000	20.79	4200	7.94	28.73
2008	046-134	4030	660	15300	23.18	2300	3.48	26.67
2008	046-134	5000	130	7500	57.69	1200	9.23	66.92
2008	046-135	4020	302	3693	12.23	996	3.30	15.53
2008	046-137	4020	230	939	4.08	716	3.11	7.20
2008	046-140	4020	652	15954	24.47	7978	12.24	36.71
2008	047-060	1050	377	5167	13.71	276	0.73	14.44
2008	047-062	1050	669	10572	15.80	1000	1.49	17.30
2008	047-062	4020	420	3400	8.10	650	1.55	9.64
2008	047-064	4020	125	0	0.00	0	0.00	0.00
2008	047-065	1050	330	9134	27.68	193	0.58	28.26
2008	047-065	4050	132	7018	53.17	193	1.46	54.63
2008	048-066	1050	1467	29792	20.31	5548	3.78	24.09
2008	048-066	3000	780	0	0.00	0	0.00	0.00
2008	048-066	4020	510	12000	23.53	150	0.29	23.82
2008	048-066	4040	400	9600	24.00	175	0.44	24.44
2008	048-066	4060	440	10550	23.98	150	0.34	24.32
2008	048-066	4080	520	8696	16.72	1057	2.03	18.76
2008	048-066	4110	691	17000	24.60	607	0.88	25.48
2008	048-068	1000	0	15225	#DIV/0!	0	#DIV/0!	#DIV/0!
2008	048-068	1050	1804	17500	9.70	12000	6.65	16.35
2008	048-068	1060	1056	23500	22.25	4344	4.11	26.37
2008	048-068	1075	1413	24200	17.13	4940	3.50	20.62
2008	048-068	3000	805	9350	11.61	4000	4.97	16.58

2008	048-068	3060	917	21265	23.19	3638	3.97	27.16
2008	048-068	3080	698	13346	19.12	1675	2.40	21.52
2008	048-068	3090	690	12500	18.12	8000	11.59	29.71
2008	048-068	4020	370	5620	15.19	500	1.35	16.54
2008	048-068	4040	390	4000	10.26	600	1.54	11.79
2008	048-068	4050	486	10308	21.21	400	0.82	22.03
2008	048-068	4060	351	10046	28.62	400	1.14	29.76
2008	048-068	4070	637	14960	23.49	450	0.71	24.19
2008	048-068	4080	523	7649	14.63	411	0.79	15.41
2008	048-068	4090	478	7202	15.07	400	0.84	15.90
2008	048-068	5000	428	5418	12.66	200	0.47	13.13
2008	048-068	5020	445	3502	7.87	541	1.22	9.09
2008	048-068	5030	532	6185	11.63	425	0.80	12.42
2008	048-068	5040	450	6050	13.44	600	1.33	14.78
2008	048-068	5070	543	6696	12.33	500	0.92	13.25
2008	048-068	5080	650	0	0.00	0	0.00	0.00
2008	048-069	1050	810	13591	16.78	244	0.30	17.08
2008	048-069	3000	652	10985	16.85	1125	1.73	18.57
2008	048-069	4040	333	9506	28.55	1125	3.38	31.92
2008	048-069	4060	412	12577	30.53	1285	3.12	33.65
2008	048-069	4080	498	8000	16.06	1375	2.76	18.83
2008	048-069	5000	388	16786	43.26	500	1.29	44.55
2008	048-070	1050	660	5000	7.58	2000	3.03	10.61
2008	048-070	3000	0	6500	#DIV/0!	2000	#DIV/0!	#DIV/0!
2008	048-070	4020	493	5000	10.14	6277	12.73	22.87
2008	048-070	4040	431	4000	9.28	2000	4.64	13.92
2008	048-071	1000	0	9981	#DIV/0!	13633	#DIV/0!	#DIV/0!
2008	048-071	1050	1784	39639	22.22	1104	0.62	22.84
2008	048-071	1070	1964	46753	23.80	5338	2.72	26.52
2008	048-071	3000	947	26098	27.56	6704	7.08	34.64
2008	048-071	3050	833	31352	37.64	2478	2.97	40.61
2008	048-071	3080	856	26791	31.30	3900	4.56	35.85
2008	048-071	4020	417	18196	43.64	667	1.60	45.24
2008	048-071	4030	554	17225	31.09	667	1.20	32.30
2008	048-071	4040	446	15893	35.63	667	1.50	37.13
2008	048-071	4060	254	12239	48.19	667	2.63	50.81
2008	048-071	4070	492	16300	33.13	667	1.36	34.49
2008	048-071	4080	344	14185	41.24	667	1.94	43.17
2008	048-071	4090	570	18680	32.77	667	1.17	33.94
2008	048-071	5010	551	20296	36.83	667	1.21	38.05
2008	048-071	5020	419	15257	36.41	667	1.59	38.00
2008	048-071	5025	553	19833	35.86	667	1.21	37.07
2008	048-071	5030	1517	31685	20.89	1334	0.88	21.77
2008	048-071	5035	633	17777	28.08	667	1.05	29.14
2008	048-071	5040	627	20076	32.02	1533	2.44	34.46
2008	048-071	5060	456	15310	33.57	667	1.46	35.04
2008	048-071	5080	544	17361	31.91	667	1.23	33.14

2008	048-071	6000	627	18906	30.15	667	1.06	31.22
2008	048-071	6010	425	186254	438.24	667	1.57	439.81
2008	048-072	1085	1200	18200	15.17	2200	1.83	17.00
2008	048-072	1090	858	14150	16.49	1850	2.16	18.65
2008	048-072	2070	784	15000	19.13	2500	3.19	22.32
2008	048-072	2075	764	16560	21.68	1250	1.64	23.31
2008	048-072	4010	504	11114	22.05	561	1.11	23.16
2008	048-072	4015	403	5550	13.77	780	1.94	15.71
2008	048-072	4020	310	5472	17.65	302	0.97	18.63
2008	048-072	4025	358	5859	16.37	500	1.40	17.76
2008	048-072	4030	410	1767	4.31	0	0.00	4.31
2008	048-072	4035	329	9361	28.45	700	2.13	30.58
2008	048-072	4045	444	10900	24.55	950	2.14	26.69
2008	048-072	4050	429	5750	13.40	800	1.86	15.27
2008	048-073	1000	9079	2152	0.24	153	0.02	0.25
2008	048-073	1050	1479	17887	12.09	3206	2.17	14.26
2008	048-073	1075	1394	21038	15.09	907	0.65	15.74
2008	048-073	3000	984	16400	16.67	800	0.81	17.48
2008	048-073	3010	919	10966	11.93	604	0.66	12.59
2008	048-073	4020	413	10156	24.59	158	0.38	24.97
2008	048-073	4060	312	9183	29.43	465	1.49	30.92
2008	048-073	4070	510	11304	22.16	500	0.98	23.15
2008	048-073	4080	445	9369	21.05	525	1.18	22.23
2008	048-073	5000	470	9652	20.54	388	0.83	21.36
2008	048-073	5040	401	8584	21.41	152	0.38	21.79
2008	048-073	5060	472	8680	18.39	720	1.53	19.92
2008	048-073	5080	477	9750	20.44	835	1.75	22.19
2008	048-073	6000	429	10365	24.16	331	0.77	24.93
2008	048-074	1050	1292	33747	26.12	1139	0.88	27.00
2008	048-074	2100	606	19170	31.63	1333	2.20	33.83
2008	048-074	4020	307	11814	38.48	1900	6.19	44.67
2008	048-074	4040	248	8919	35.96	246	0.99	36.96
2008	048-074	4080	409	8084	19.77	0	0.00	19.77
2008	048-074	5000	258	23342	90.47	623	2.41	92.89
2008	048-074	5020	516	15695	30.42	609	1.18	31.60
2008	048-074	5040	372	11676	31.39	386	1.04	32.42
2008	048-075	1050	255	11207	43.95	838	3.29	47.24
2008	048-075	4020	206	7614	36.96	549	2.67	39.63
2008	048-075	4040	87	4386	50.41	327	3.76	54.17
2008	048-077	1050	1649	29588	17.94	2000	1.21	19.16
2008	048-077	1075	1596	37259	23.35	1000	0.63	23.97
2008	048-077	3000	620	16000	25.81	1728	2.79	28.59
2008	048-077	3050	860	21800	25.35	1000	1.16	26.51
2008	048-077	3070	827	18727	22.64	500	0.60	23.25
2008	048-077	4040	450	9850	21.89	450	1.00	22.89
2008	048-077	4060	611	17203	28.16	180	0.29	28.45
2008	048-077	4080	217	5914	27.25	207	0.95	28.21

2008	048-077	5010	489	13407	27.42	200	0.41	27.83
2008	048-077	5040	350	6413	18.32	51	0.15	18.47
2008	048-077	5070	299	3490	11.67	1245	4.16	15.84
2008	048-077	6020	462	4988	10.80	200	0.43	11.23
2008	048-077	6030	256	3860	15.08	500	1.95	17.03
2008	048-077	6040	332	9641	29.04	200	0.60	29.64
2008	048-077	6050	340	15864	46.66	538	1.58	48.24
2008	048-077	6060	489	8946	18.29	1173	2.40	20.69
2008	048-077	6070	323	10685	33.08	290	0.90	33.98
2008	048-077	6090	489	11241	22.99	0	0.00	22.99
2008	048-078	1021	65	5539	85.22	0	0.00	85.22
2008	048-078	1200	1200	48759	40.63	0	0.00	40.63
2008	048-078	1220	1025	49995	48.78	150	0.15	48.92
2008	048-078	1340	1098	54346	49.50	0	0.00	49.50
2008	048-078	1400	595	24651	41.43	100	0.17	41.60
2008	048-078	1460	320	35712	111.60	0	0.00	111.60
2008	048-078	1550	187	4191	22.41	0	0.00	22.41
2008	048-078	1580	1200	56594	47.16	0	0.00	47.16
2008	048-078	1640	418	34744	83.12	0	0.00	83.12
2008	048-078	3000	270	19393	71.83	0	0.00	71.83
2008	048-078	3030	267	21820	81.72	0	0.00	81.72
2008	048-078	3040	292	23620	80.89	0	0.00	80.89
2008	048-078	3060	137	11443	83.53	0	0.00	83.53
2008	048-078	3080	554	22898	41.33	0	0.00	41.33
2008	048-078	3100	407	27280	67.03	0	0.00	67.03
2008	048-078	3120	427	29513	69.12	0	0.00	69.12
2008	048-078	3160	164	12946	78.94	0	0.00	78.94
2008	048-078	4040	300	13591	45.30	0	0.00	45.30
2008	048-078	4120	229	14457	63.13	0	0.00	63.13
2008	048-078	4180	275	9325	33.91	0	0.00	33.91
2008	048-078	4290	222	9175	41.33	0	0.00	41.33
2008	048-078	4310	472	20138	42.67	0	0.00	42.67
2008	048-078	4330	650	34621	53.26	0	0.00	53.26
2008	048-078	4350	650	35762	55.02	0	0.00	55.02
2008	048-078	4380	309	14186	45.91	0	0.00	45.91
2008	048-078	4420	200	11212	56.06	100	0.50	56.56
2008	048-078	4450	416	16163	38.85	0	0.00	38.85
2008	048-078	4460	442	23659	53.53	0	0.00	53.53
2008	048-078	4500	623	26189	42.04	0	0.00	42.04
2008	048-078	4520	240	10878	45.33	0	0.00	45.33
2008	048-078	4580	353	22568	63.93	0	0.00	63.93
2008	048-078	4700	389	16521	42.47	0	0.00	42.47
2008	048-078	4760	277	12301	44.41	0	0.00	44.41
2008	048-078	4770	530	19376	36.56	0	0.00	36.56
2008	048-078	4860	325	17027	52.39	0	0.00	52.39
2008	048-078	4880	285	15228	53.43	0	0.00	53.43
2008	048-078	4900	298	16269	54.59	0	0.00	54.59

2008	048-078	5020	330	12698	38.48	0	0.00	38.48
2008	048-078	5060	226	12748	56.41	0	0.00	56.41
2008	048-078	5080	320	18981	59.32	0	0.00	59.32
2008	048-078	5200	295	11409	38.67	0	0.00	38.67
2008	048-078	5220	206	1266	6.15	0	0.00	6.15
2008	048-078	5240	325	16766	51.59	0	0.00	51.59
2008	048-078	5250	244	10488	42.98	0	0.00	42.98
2008	048-078	5320	240	13442	56.01	0	0.00	56.01
2008	048-078	5360	490	26587	54.26	0	0.00	54.26
2008	048-078	5380	408	19558	47.94	0	0.00	47.94
2008	048-078	5420	450	12794	28.43	0	0.00	28.43
2008	048-078	5440	314	15078	48.02	0	0.00	48.02
2008	048-078	5450	470	23859	50.76	0	0.00	50.76
2008	048-078	5460	196	9225	47.07	0	0.00	47.07
2008	048-078	5500	270	18833	69.75	0	0.00	69.75
2008	048-078	5570	290	12797	44.13	0	0.00	44.13
2008	048-078	5580	295	18005	61.03	0	0.00	61.03
2008	048-078	5630	478	23461	49.08	0	0.00	49.08
2008	048-078	5650	267	12456	46.65	0	0.00	46.65
2008	048-078	5660	239	16433	68.76	0	0.00	68.76
2008	048-078	5700	320	17427	54.46	0	0.00	54.46
2008	048-078	5740	430	22918	53.30	0	0.00	53.30
2008	048-078	5780	262	13739	52.44	350	1.34	53.77
2008	048-078	6030	85	8946	105.25	0	0.00	105.25
2008	048-080	1050	770	12000	15.58	375	0.49	16.07
2008	048-080	2100	215	16801	78.14	0	0.00	78.14
2008	048-080	4020	329	4639	14.10	0	0.00	14.10
2008	048-080	4060	265	2950	11.13	200	0.75	11.89
2008	048-080	4070	267	3512	13.15	350	1.31	14.46
2008	048-080	4080	212	5866	27.67	350	1.65	29.32
2008	048-901	1000	1183	63795	53.93	5199	4.39	58.32
2008	048-903	1930	239	0	0.00	0	0.00	0.00
2008	048-904	1935	331	0	0.00	0	0.00	0.00
2008	048-907	3915	198	0	0.00	0	0.00	0.00
2008	048-909	6915	418	0	0.00	0	0.00	0.00
2008	048-910	6920	502	1275	2.54	250	0.50	3.04
2008	048-911	6925	189	1000	5.29	1000	5.29	10.58
2008	048-913	6935	202	7500	37.13	3750	18.56	55.69
2008	048-914	6940	424	0	0.00	0	0.00	0.00
2008	048-915	6945	207	5000	24.15	2000	9.66	33.82
2008	048-916	6950	270	31605	117.06	0	0.00	117.06
2008	048-917	6955	800	6419	8.02	0	0.00	8.02
2008	049-132	1050	872	9438	10.82	873	1.00	11.82
2008	049-132	2050	513	14500	28.27	1700	3.31	31.58
2008	049-132	4040	544	9412	17.30	2072	3.81	21.11
2008	049-132	4050	493	11000	22.31	2250	4.56	26.88
2008	049-132	4060	749	9000	12.02	2132	2.85	14.86

2008	049-135	4020	170	3317	19.51	2818	16.58	36.09
2008	049-137	1050	256	5736	22.41	1816	7.09	29.50
2008	049-137	4020	256	8382	32.74	243	0.95	33.69
2008	049-140	1050	431	22746	52.77	727	1.69	54.46
2008	049-140	4020	370	10132	27.38	4341	11.73	39.12
2008	049-142	1050	910	30500	33.52	1500	1.65	35.16
2008	049-142	2050	618	27640	44.72	1000	1.62	46.34
2008	049-142	4020	583	12750	21.87	400	0.69	22.56
2008	049-142	4030	694	17322	24.96	575	0.83	25.79
2008	049-142	4060	510	20254	39.71	600	1.18	40.89
2008	049-142	5000	265	10544	39.79	480	1.81	41.60
2008	049-142	5020	155	8669	55.93	276	1.78	57.71
2008	049-144	1050	1070	35512	33.19	1417	1.32	34.51
2008	049-144	2050	597	13493	22.60	510	0.85	23.46
2008	049-144	3000	608	27119	44.60	1161	1.91	46.51
2008	049-144	4020	178	9124	51.26	400	2.25	53.51
2008	049-144	4040	203	6576	32.39	570	2.81	35.20
2008	049-144	4060	201	9432	46.93	400	1.99	48.92
2008	049-144	4080	368	16534	44.93	1000	2.72	47.65
2008	049-144	5020	190	5510	29.00	296	1.56	30.56
2008	049-148	1050	1995	36536	18.31	2880	1.44	19.76
2008	049-148	3000	396	14626	36.93	564	1.42	38.36
2008	049-148	3030	685	21954	32.05	0	0.00	32.05
2008	049-148	3050	529	16772	31.71	0	0.00	31.71
2008	049-148	4030	623	13399	21.51	0	0.00	21.51
2008	049-148	4040	262	5731	21.87	0	0.00	21.87
2008	049-148	4060	144	4449	30.90	245	1.70	32.60
2008	049-148	4080	147	3007	20.46	278	1.89	22.35
2008	049-148	4100	300	4269	14.23	783	2.61	16.84
2008	049-148	4120	224	5719	25.53	0	0.00	25.53
2008	049-148	4160	271	6395	23.60	317	1.17	24.77
2008	049-148	4180	264	4601	17.43	242	0.92	18.34
2008	049-148	4200	274	4977	18.16	382	1.39	19.56
2008	049-148	4260	271	5794	21.38	0	0.00	21.38
2008	049-148	4300	290	4421	15.24	171	0.59	15.83
2008	049-148	4320	449	8909	19.84	0	0.00	19.84
2008	049-148	4360	192	4846	25.24	274	1.43	26.67
2008	050-001	1050	2278	34978	15.35	2732	1.20	16.55
2008	050-001	3070	1078	103475	95.99	1772	1.64	97.63
2008	050-001	4020	435	11656	26.80	200	0.46	27.26
2008	050-001	4040	488	10990	22.52	551	1.13	23.65
2008	050-001	4060	346	3650	10.55	35	0.10	10.65
2008	050-001	4080	415	9041	21.79	0	0.00	21.79
2008	050-001	5000	403	5007	12.42	720	1.79	14.21
2008	050-001	5020	414	11020	26.62	0	0.00	26.62
2008	050-001	5040	423	10485	24.79	873	2.06	26.85
2008	050-001	5060	231	2930	12.68	0	0.00	12.68

2008	050-001	5080	312	4040	12.95	0	0.00	12.95
2008	050-002	1000	300	1794	5.98	1006	3.35	9.33
2008	050-002	3000	203	2998	14.77	502	2.47	17.24
2008	050-002	4020	325	997	3.07	503	1.55	4.62
2008	050-003	1050	1192	14704	12.34	11200	9.40	21.73
2008	050-003	2050	599	10599	17.69	3135	5.23	22.93
2008	050-003	4020	552	9497	17.20	4243	7.69	24.89
2008	050-003	4040	560	10700	19.11	3450	6.16	25.27
2008	050-003	4080	781	14507	18.57	7931	10.15	28.73
2008	050-005	1050	455	9703	21.33	4750	10.44	31.76
2008	050-005	3000	388	9423	24.29	1129	2.91	27.20
2008	050-005	4040	465	11216	24.12	515	1.11	25.23
2008	050-006	1050	923	14351	15.55	888	0.96	16.51
2008	050-006	3020	467	8027	17.19	417	0.89	18.08
2008	050-006	4020	1021	16333	16.00	3050	2.99	18.98
2008	050-006	5020	710	10036	14.14	926	1.30	15.44
2008	050-007	3000	249	0	0.00	0	0.00	0.00
2008	050-007	4020	216	0	0.00	0	0.00	0.00
2008	050-007	4060	236	0	0.00	0	0.00	0.00
2008	050-009	4020	340	7035	20.69	0	0.00	20.69
2008	050-010	1050	963	22500	23.36	1500	1.56	24.92
2008	050-010	3000	650	17868	27.49	1300	2.00	29.49
2008	050-010	4020	540	9000	16.67	671	1.24	17.91
2008	050-010	4030	425	9000	21.18	0	0.00	21.18
2008	050-010	4040	430	16158	37.58	685	1.59	39.17
2008	050-012	1050	1929	25155	13.04	763	0.40	13.44
2008	050-012	1070	1774	35618	20.08	338	0.19	20.27
2008	050-012	2050	439	15916	36.26	748	1.70	37.96
2008	050-012	2100	500	13450	26.90	92	0.18	27.08
2008	050-012	2150	798	19627	24.60	236	0.30	24.89
2008	050-012	4010	540	10461	19.37	2916	5.40	24.77
2008	050-012	4020	615	11635	18.92	1965	3.20	22.11
2008	050-012	4030	403	9751	24.20	470	1.17	25.36
2008	050-012	4040	524	10738	20.49	0	0.00	20.49
2008	050-012	4050	529	13500	25.52	350	0.66	26.18
2008	050-012	4060	570	12495	21.92	326	0.57	22.49
2008	050-012	4070	459	8426	18.36	250	0.54	18.90
2008	050-012	4080	649	12650	19.49	264	0.41	19.90
2008	050-012	4090	710	11666	16.43	1903	2.68	19.11
2008	050-012	5000	594	12615	21.24	365	0.61	21.85
2008	050-012	5010	534	13439	25.17	579	1.08	26.25
2008	050-013	1050	345	4389	12.72	286	0.83	13.55
2008	050-013	4020	375	5055	13.48	712	1.90	15.38
2008	050-014	1050	980	32253	32.91	2928	2.99	35.90
2008	050-014	2050	437	13027	29.81	4940	11.30	41.11
2008	050-014	4010	650	19615	30.18	8860	13.63	43.81
2008	050-014	4020	810	21691	26.78	9870	12.19	38.96

2008	051-150	1000	268	8120	30.30	451	1.68	31.98
2008	051-152	1050	473	15400	32.56	3000	6.34	38.90
2008	051-152	3000	327	12529	38.31	2700	8.26	46.57
2008	051-152	4040	662	15417	23.29	1500	2.27	25.55
2008	051-153	1050	158	4948	31.32	1000	6.33	37.65
2008	051-154	1050	344	4600	13.37	600	1.74	15.12
2008	051-154	4020	316	5540	17.53	838	2.65	20.18
2008	051-155	1050	414	10562	25.51	3842	9.28	34.79
2008	051-155	3000	318	12548	39.46	3768	11.85	51.31
2008	051-155	4020	402	12119	30.15	1356	3.37	33.52
2008	051-155	4040	355	8473	23.87	999	2.81	26.68
2008	051-156	4020	380	3895	10.25	1700	4.47	14.72
2008	051-159	1050	1008	21655	21.48	5900	5.85	27.34
2008	051-159	3000	735	14426	19.63	1000	1.36	20.99
2008	051-159	4030	379	4300	11.35	572	1.51	12.85
2008	051-159	4040	266	3000	11.28	234	0.88	12.16
2008	051-159	4050	380	5800	15.26	200	0.53	15.79
2008	051-159	4060	466	6400	13.73	1800	3.86	17.60
2008	052-096	1050	312	7256	23.26	2000	6.41	29.67
2008	052-096	4020	250	6625	26.50	1000	4.00	30.50
2008	053-111	1050	378	7444	19.69	221	0.58	20.28
2008	053-111	4020	493	7829	15.88	572	1.16	17.04
2008	053-112	4020	120	2447	20.39	352	2.93	23.33
2008	053-113	1050	1350	17700	13.11	6530	4.84	17.95
2008	053-113	2050	638	15079	23.63	3275	5.13	28.77
2008	053-113	4020	877	15050	17.16	0	0.00	17.16
2008	053-113	4040	326	6200	19.02	300	0.92	19.94
2008	053-113	4060	703	12737	18.12	612	0.87	18.99
2008	053-113	4080	661	12324	18.64	500	0.76	19.40
2008	053-114	4020	465	7213	15.51	390	0.84	16.35
2008	054-037	1050	244	7344	30.10	1092	4.48	34.57
2008	054-037	4020	236	7546	31.97	1234	5.23	37.20
2008	054-039	1050	536	15703	29.30	1002	1.87	31.17
2008	054-039	4020	461	4735	10.27	2323	5.04	15.31
2008	054-041	1050	733	15839	21.61	290	0.40	22.00
2008	054-041	3000	623	20459	32.84	1302	2.09	34.93
2008	054-041	4040	465	22020	47.35	0	0.00	47.35
2008	054-041	4060	330	9070	27.48	580	1.76	29.24
2008	054-042	1050	212	2500	11.79	95	0.45	12.24
2008	054-042	4040	200	7069	35.35	438	2.19	37.54
2008	054-043	1000	446	12138	27.22	300	0.67	27.89
2008	054-045	1050	310	6471	20.87	1698	5.48	26.35
2008	054-045	3000	263	2787	10.60	968	3.68	14.28
2008	054-045	4040	377	3563	9.45	778	2.06	11.51
2008	055-104	1050	277	9000	32.49	3117	11.25	43.74
2008	055-104	4020	220	2962	13.46	1070	4.86	18.33
2008	055-104	4040	63	2912	46.22	1070	16.98	63.21

2008	055-105	1050	449	4043	9.00	268	0.60	9.60
2008	055-105	4020	345	5592	16.21	401	1.16	17.37
2008	055-106	1050	320	6412	20.04	1895	5.92	25.96
2008	055-106	4020	400	5121	12.80	10065	25.16	37.97
2008	055-108	1050	471	8000	16.99	2556	5.43	22.41
2008	055-108	3000	471	12543	26.63	2402	5.10	31.73
2008	055-108	4020	608	11003	18.10	0	0.00	18.10
2008	055-110	1050	532	18040	33.91	4650	8.74	42.65
2008	055-110	2050	329	9100	27.66	15707	47.74	75.40
2008	055-110	4020	523	19350	37.00	3875	7.41	44.41
2008	055-110	4040	365	12570	34.44	1537	4.21	38.65
2008	055-110	4060	360	25873	71.87	2104	5.84	77.71
2008	055-111	1050	401	6323	15.77	425	1.06	16.83
2008	056-015	1000	540	13787	25.53	2580	4.78	30.31
2008	056-017	1050	450	10000	22.22	8890	19.76	41.98
2008	056-017	4070	565	16040	28.39	12253	21.69	50.08
2008	057-001	1050	210	4960	23.62	1622	7.72	31.34
2008	057-001	4020	170	7460	43.88	1622	9.54	53.42
2008	057-002	1050	389	10764	27.67	238	0.61	28.28
2008	057-002	4020	436	12164	27.90	1100	2.52	30.42
2008	057-003	1050	1867	0	0.00	0	0.00	0.00
2008	057-003	3000	909	11973	13.17	1514	1.67	14.84
2008	057-003	4020	111	699	6.30	0	0.00	6.30
2008	057-003	4030	1100	10966	9.97	957	0.87	10.84
2008	057-003	4040	490	4344	8.87	159	0.32	9.19
2008	057-003	4060	824	12593	15.28	0	0.00	15.28
2008	057-003	4080	720	7849	10.90	2270	3.15	14.05
2008	057-004	1050	536	11441	21.35	2567	4.79	26.13
2008	057-004	3000	0	8543	#DIV/0!	1450	#DIV/0!	#DIV/0!
2008	057-004	4020	350	7905	22.59	2567	7.33	29.92
2008	057-004	4040	342	9912	28.98	659	1.93	30.91
2008	058-106	1050	134	4430	33.06	2331	17.40	50.46
2008	058-106	4020	164	3716	22.66	1848	11.27	33.93
2008	058-107	1000	174	650	3.74	0	0.00	3.74
2008	058-108	1000	0	7251	#DIV/0!	592	#DIV/0!	#DIV/0!
2008	058-108	1050	131	7251	55.35	592	4.52	59.87
2008	058-108	4020	135	7251	53.71	592	4.39	58.10
2008	058-109	1050	399	15260	38.25	3368	8.44	46.69
2008	058-109	4020	277	9372	33.83	2414	8.71	42.55
2008	058-112	1050	349	4600	13.18	2600	7.45	20.63
2008	058-112	3000	724	4270	5.90	4262	5.89	11.78
2008	059-113	1050	100	842	8.42	295	2.95	11.37
2008	059-113	4020	105	842	8.02	295	2.81	10.83
2008	059-114	4020	79	5196	65.77	11903	150.67	216.44
2008	059-117	1000	267	7037	26.36	998	3.74	30.09
2008	059-117	1050	618	15311	24.78	848	1.37	26.15
2008	059-117	3000	428	16533	38.63	1071	2.50	41.13

2008	059-117	4040	266	7337	27.58	998	3.75	31.33
2008	059-117	4060	276	7235	26.21	600	2.17	28.39
2008	060-077	1050	1038	0	0.00	0	0.00	0.00
2008	060-077	3000	170	0	0.00	0	0.00	0.00
2008	060-077	4020	630	10152	16.11	1032	1.64	17.75
2008	060-077	4040	616	10155	16.49	750	1.22	17.70
2008	060-077	4060	293	12655	43.19	638	2.18	45.37
2008	060-077	4080	241	5005	20.77	380	1.58	22.34
2008	060-077	5000	344	4910	14.27	0	0.00	14.27
2008	060-077	5020	358	10431	29.14	737	2.06	31.20
2008	061-150	1050	218	5000	22.94	500	2.29	25.23
2008	061-151	1000	243	4479	18.43	773	3.18	21.61
2008	061-154	1050	174	7742	44.49	499	2.87	47.36
2008	061-154	4020	176	7643	43.43	500	2.84	46.27
2008	061-156	1050	413	0	0.00	0	0.00	0.00
2008	061-156	3000	305	0	0.00	0	0.00	0.00
2008	061-156	4020	651	0	0.00	0	0.00	0.00
2008	061-157	4020	68	4876	71.71	1500	22.06	93.76
2008	061-158	1050	140	1811	12.94	172	1.23	14.16
2008	062-070	1050	185	14215	76.84	3500	18.92	95.76
2008	062-072	1050	550	10175	18.50	3450	6.27	24.77
2008	062-072	3000	420	8416	20.04	500	1.19	21.23
2008	062-072	4020	425	7350	17.29	750	1.76	19.06
2008	062-072	4080	343	5429	15.83	339	0.99	16.82
2008	063-066	1000	580	9452	16.30	1336	2.30	18.60
2008	063-067	1050	270	3400	12.59	200	0.74	13.33
2008	063-067	3000	170	7393	43.49	200	1.18	44.66
2008	063-067	4020	421	6081	14.44	468	1.11	15.56
2008	064-072	4020	230	0	0.00	0	0.00	0.00
2008	064-074	1050	324	7346	22.67	492	1.52	24.19
2008	064-074	3000	356	2035	5.72	690	1.94	7.65
2008	064-074	4020	457	6124	13.40	1003	2.19	15.60
2008	064-075	1000	0	0	#DIV/0!	0	#DIV/0!	#DIV/0!
2008	064-075	1050	1000	12535	12.54	207	0.21	12.74
2008	064-075	3000	771	7218	9.36	970	1.26	10.62
2008	064-075	4020	319	6759	21.19	348	1.09	22.28
2008	064-075	4060	315	5373	17.06	998	3.17	20.23
2008	064-075	4080	298	4590	15.40	959	3.22	18.62
2008	064-075	4090	313	4889	15.62	536	1.71	17.33
2008	064-075	5010	520	6623	12.74	513	0.99	13.72
2008	065-096	1050	196	6749	34.43	367	1.87	36.31
2008	065-098	1050	195	1349	6.92	171	0.88	7.79
2008	065-098	4020	199	1349	6.78	171	0.86	7.64
2008	066-102	1050	640	28688	44.83	1507	2.35	47.18
2008	066-102	3000	296	30600	103.38	2689	9.08	112.46
2008	066-102	4020	680	19049	28.01	5196	7.64	35.65
2008	066-102	4040	408	17638	43.23	4133	10.13	53.36

2008	066-103	1050	90	783	8.70	100	1.11	9.81
2008	066-103	4020	169	1860	11.01	63	0.37	11.38
2008	066-104	1050	250	2000	8.00	300	1.20	9.20
2008	066-105	1050	585	38640	66.05	5000	8.55	74.60
2008	066-105	2050	276	13900	50.36	300	1.09	51.45
2008	066-105	4020	450	14000	31.11	500	1.11	32.22
2008	066-107	1050	751	19883	26.48	680	0.91	27.38
2008	067-055	1050	329	6471	19.67	1974	6.00	25.67
2008	067-055	4040	330	2388	7.24	1974	5.98	13.22
2008	067-055	4060	451	2389	5.30	1974	4.38	9.67
2008	067-061	1050	310	10367	33.44	462	1.49	34.93
2008	067-061	3000	260	2212	8.51	0	0.00	8.51
2008	067-061	4040	550	6385	11.61	0	0.00	11.61
2008	068-070	1050	456	6575	14.42	1530	3.36	17.77
2008	068-070	3000	303	7799	25.74	460	1.52	27.26
2008	068-070	4020	597	13468	22.56	1500	2.51	25.07
2008	068-071	4020	76	250	3.29	0	0.00	3.29
2008	068-072	4020	56	2123	37.91	380	6.79	44.70
2008	068-073	1050	317	8097	25.54	609	1.92	27.46
2008	068-073	4060	303	4913	16.21	1482	4.89	21.11
2008	068-074	1000	244	2051	8.41	1769	7.25	15.66
2008	068-075	4020	108	2900	26.85	1280	11.85	38.70
2008	069-104	4020	44	1061	24.11	126	2.86	26.98
2008	069-106	1050	293	9516	32.48	3500	11.95	44.42
2008	069-106	3000	160	5624	35.15	800	5.00	40.15
2008	069-106	4040	243	5023	20.67	500	2.06	22.73
2008	069-107	4020	64	1051	16.42	915	14.30	30.72
2008	069-108	1050	300	1680	5.60	251	0.84	6.44
2008	069-109	1050	260	9686	37.25	274	1.05	38.31
2008	069-109	4020	250	7745	30.98	300	1.20	32.18
2008	070-092	1000	442	3814	8.63	247	0.56	9.19
2008	070-093	1050	414	6695	16.17	1500	3.62	19.79
2008	070-093	3000	313	5700	18.21	750	2.40	20.61
2008	070-093	4020	110	2000	18.18	500	4.55	22.73
2008	070-093	4040	145	4000	27.59	500	3.45	31.03
2008	070-093	4060	327	4000	12.23	750	2.29	14.53
2008	071-091	1000	770	12500	16.23	5750	7.47	23.70
2008	071-092	1050	504	23749	47.12	1328	2.63	49.76
2008	071-092	3000	338	10934	32.35	6900	20.41	52.76
2008	071-092	4020	622	14442	23.22	645	1.04	24.26
2008	071-092	4040	74	2300	31.08	700	9.46	40.54
2008	072-066	1050	89	6500	73.03	0	0.00	73.03
2008	072-066	4020	92	7751	84.25	0	0.00	84.25
2008	072-068	1050	232	5780	24.91	1888	8.14	33.05
2008	072-068	3000	215	4638	21.57	733	3.41	24.98
2008	072-068	4020	335	3627	10.83	629	1.88	12.70
2008	072-073	1000	345	6868	19.91	377	1.09	21.00

2008	072-074	1060	489	11168	22.84	3800	7.77	30.61
2008	072-074	3000	365	12732	34.88	0	0.00	34.88
2008	072-074	4100	246	6973	28.35	2053	8.35	36.69
2008	072-074	4120	138	5850	42.39	4549	32.96	75.36
2008	072-074	4140	333	8335	25.03	1409	4.23	29.26
2008	073-099	1050	518	25626	49.47	6186	11.94	61.41
2008	073-099	4020	679	24599	36.23	5186	7.64	43.87
2008	073-099	4040	469	34044	72.59	4200	8.96	81.54
2008	073-102	1050	285	4381	15.37	767	2.69	18.06
2008	073-102	3000	323	5562	17.22	307	0.95	18.17
2008	073-102	4020	363	11702	32.24	935	2.58	34.81
2008	073-105	4020	151	2044	13.54	110	0.73	14.26
2008	073-106	1050	534	13101	24.53	4315	8.08	32.61
2008	073-106	3000	390	6762	17.34	910	2.33	19.67
2008	073-106	4020	712	14058	19.74	3638	5.11	24.85
2008	073-108	1050	1555	38012	24.45	3624	2.33	26.78
2008	073-108	3000	960	18133	18.89	2945	3.07	21.96
2008	073-108	4020	535	18178	33.98	1689	3.16	37.13
2008	073-108	4040	150	11997	79.98	918	6.12	86.10
2008	073-108	4060	140	2530	18.07	372	2.66	20.73
2008	073-108	4080	287	9843	34.30	757	2.64	36.93
2008	073-108	5020	234	21842	93.34	1465	6.26	99.60
2008	073-108	5040	504	60914	120.86	1600	3.17	124.04
2008	074-187	1050	118	3450	29.24	450	3.81	33.05
2008	074-187	4020	116	3750	32.33	450	3.88	36.21
2008	074-190	1050	162	3877	23.93	533	3.29	27.22
2008	074-190	4020	130	6573	50.56	740	5.69	56.25
2008	074-194	1050	117	1760	15.04	1000	8.55	23.59
2008	074-194	4020	0	1900	#DIV/0!	1000	#DIV/0!	#DIV/0!
2008	074-195	1050	158	9878	62.52	172	1.09	63.61
2008	074-201	1050	451	12800	28.38	0	0.00	28.38
2008	074-201	3000	394	12327	31.29	923	2.34	33.63
2008	074-201	4020	456	12000	26.32	1150	2.52	28.84
2008	074-202	1050	101	4700	46.53	1000	9.90	56.44
2008	074-202	4020	98	2100	21.43	200	2.04	23.47
2008	075-084	1000	248	4571	18.43	1397	5.63	24.06
2008	075-085	1050	320	5300	16.56	200	0.63	17.19
2008	075-085	4020	318	5472	17.21	0	0.00	17.21
2008	075-086	1000	330	1913	5.80	1658	5.02	10.82
2008	075-087	1050	404	9138	22.62	148	0.37	22.99
2008	075-087	4020	411	8809	21.43	2121	5.16	26.59
2008	076-081	1050	220	5018	22.81	827	3.76	26.57
2008	076-082	1050	336	7345	21.86	750	2.23	24.09
2008	076-082	4020	299	7520	25.15	750	2.51	27.66
2008	076-083	1050	428	12593	29.42	4363	10.19	39.62
2008	076-083	4060	280	10254	36.62	4021	14.36	50.98
2008	077-100	4020	70	1503	21.47	22	0.31	21.79

2008	077-101	1000	396	7571	19.12	2432	6.14	25.26
2008	077-102	1050	321	1947	6.07	0	0.00	6.07
2008	077-102	4020	301	1947	6.47	211	0.70	7.17
2008	077-104	1000	210	2000	9.52	2000	9.52	19.05
2008	077-104	1050	0	2700	#DIV/0!	1000	#DIV/0!	#DIV/0!
2008	078-001	1050	198	3000	15.15	2100	10.61	25.76
2008	078-001	4020	140	1500	10.71	400	2.86	13.57
2008	078-002	1050	380	6635	17.46	769	2.02	19.48
2008	078-002	4040	513	10169	19.82	4183	8.15	27.98
2008	078-003	4020	131	6357	48.53	2660	20.31	68.83
2008	078-004	1050	0	10122	#DIV/0!	459	#DIV/0!	#DIV/0!
2008	078-005	1050	307	6443	20.99	3969	12.93	33.92
2008	078-005	4020	440	7181	16.32	4084	9.28	25.60
2008	078-009	4020	248	4028	16.24	153	0.62	16.86
2008	078-012	1050	337	8293	24.61	597	1.77	26.38
2008	078-012	3000	305	7083	23.22	812	2.66	25.89
2008	078-012	4060	678	2322	3.42	1698	2.50	5.93
2008	079-077	1050	703	18529	26.36	1000	1.42	27.78
2008	079-077	3000	682	2596	3.81	71	0.10	3.91
2008	079-077	4020	886	7800	8.80	1200	1.35	10.16
2008	080-116	1050	194	3100	15.98	400	2.06	18.04
2008	080-116	4020	182	4861	26.71	900	4.95	31.65
2008	080-118	1050	168	579	3.45	271	1.61	5.06
2008	080-118	4020	215	4388	20.41	271	1.26	21.67
2008	080-119	1000	586	13435	22.93	1853	3.16	26.09
2008	080-121	1050	402	9983	24.83	3850	9.58	34.41
2008	080-122	4020	160	0	0.00	0	0.00	0.00
2008	080-125	1050	1179	3500	2.97	1500	1.27	4.24
2008	080-125	3000	963	11985	12.45	1592	1.65	14.10
2008	080-125	4020	555	3000	5.41	200	0.36	5.77
2008	080-125	4030	479	4458	9.31	270	0.56	9.87
2008	080-125	4040	357	5680	15.91	560	1.57	17.48
2008	080-125	4050	511	4000	7.83	242	0.47	8.30
2008	080-125	5020	270	3420	12.67	250	0.93	13.59
2008	081-094	1050	531	11405	21.48	1366	2.57	24.05
2008	081-094	3000	350	12944	36.98	4142	11.83	48.82
2008	081-094	4020	728	10727	14.73	3045	4.18	18.92
2008	081-095	1050	235	3724	15.85	16	0.07	15.91
2008	081-095	4020	270	2193	8.12	105	0.39	8.51
2008	081-096	1050	1017	7000	6.88	1200	1.18	8.06
2008	081-096	2050	643	10433	16.23	276	0.43	16.65
2008	081-096	3000	894	7250	8.11	3930	4.40	12.51
2008	081-096	4040	521	10533	20.22	540	1.04	21.25
2008	081-096	4060	470	9222	19.62	400	0.85	20.47
2008	081-096	4100	485	8944	18.44	0	0.00	18.44
2008	081-097	4020	190	2124	11.18	0	0.00	11.18
2008	082-100	1050	809	10368	12.82	1035	1.28	14.10

2008	082-100	4020	467	8525	18.25	1389	2.97	21.23
2008	082-100	4060	74	2846	38.46	175	2.36	40.82
2008	082-101	4020	545	12012	22.04	200	0.37	22.41
2008	082-105	4020	48	1500	31.25	0	0.00	31.25
2008	082-108	1050	243	7600	31.28	1320	5.43	36.71
2008	082-108	3000	155	7838	50.57	500	3.23	53.79
2008	082-108	4040	320	7500	23.44	700	2.19	25.63
2008	083-001	1050	227	4032	17.76	1232	5.43	23.19
2008	083-001	2050	104	1847	17.76	565	5.43	23.19
2008	083-001	4020	180	3197	17.76	977	5.43	23.19
2008	083-001	4030	164	2912	17.76	891	5.43	23.19
2008	083-002	1050	351	8097	23.07	431	1.23	24.30
2008	083-002	4020	314	5640	17.96	1250	3.98	21.94
2008	083-003	1050	896	34364	38.35	1161	1.30	39.65
2008	083-003	3000	531	13015	24.51	402	0.76	25.27
2008	083-003	4010	591	11758	19.90	0	0.00	19.90
2008	083-003	4030	498	8745	17.56	1031	2.07	19.63
2008	083-003	4040	149	5043	33.85	339	2.28	36.12
2008	083-003	4050	321	6612	20.60	926	2.88	23.48
2008	083-005	1050	1538	13000	8.45	1000	0.65	9.10
2008	083-005	1080	1537	16170	10.52	1500	0.98	11.50
2008	083-005	3000	702	2492	3.55	844	1.20	4.75
2008	083-005	3030	805	6500	8.07	386	0.48	8.55
2008	083-005	3050	770	13512	17.55	220	0.29	17.83
2008	083-005	4020	510	7737	15.17	160	0.31	15.48
2008	083-005	4040	441	6901	15.65	233	0.53	16.18
2008	083-005	4060	535	11822	22.10	1435	2.68	24.78
2008	083-005	4080	471	7474	15.87	100	0.21	16.08
2008	083-005	5000	489	5504	11.26	1700	3.48	14.73
2008	083-005	5020	470	4288	9.12	0	0.00	9.12
2008	083-005	5040	555	9219	16.61	2103	3.79	20.40
2008	083-005	5060	521	6995	13.43	250	0.48	13.91
2008	083-005	5080	407	8516	20.92	401	0.99	21.91
2008	084-001	1050	718	22700	31.62	2814	3.92	35.53
2008	084-001	3000	583	20187	34.63	3500	6.00	40.63
2008	084-001	4020	635	17560	27.65	4200	6.61	34.27
2008	084-001	4040	550	17680	32.15	2500	4.55	36.69
2008	084-002	1050	368	16100	43.75	2000	5.43	49.18
2008	084-003	1000	0	3112	#DIV/0!	500	#DIV/0!	#DIV/0!
2008	084-003	1050	0	2056	#DIV/0!	250	#DIV/0!	#DIV/0!
2008	084-003	4020	0	1556	#DIV/0!	250	#DIV/0!	#DIV/0!
2008	084-004	4020	368	4104	11.15	206	0.56	11.71
2008	084-005	1000	672	7047	10.49	1047	1.56	12.04
2008	084-006	1000	0	0	#DIV/0!	0	#DIV/0!	#DIV/0!
2008	084-006	1050	272	10000	36.76	1000	3.68	40.44
2008	084-006	3000	275	8500	30.91	500	1.82	32.73
2008	084-006	4020	302	6000	19.87	1000	3.31	23.18

2008	085-043	4020	45	0	0.00	0	0.00	0.00
2008	085-044	1050	329	0	0.00	0	0.00	0.00
2008	085-044	4020	328	0	0.00	0	0.00	0.00
2008	085-045	1050	463	5000	10.80	0	0.00	10.80
2008	085-045	4020	272	2905	10.68	1200	4.41	15.09
2008	085-046	1000	5489	70032	12.76	4508	0.82	13.58
2008	085-046	1050	1666	43766	26.27	2577	1.55	27.82
2008	085-046	3000	843	46072	54.65	8022	9.52	64.17
2008	085-046	4040	787	43839	55.70	4432	5.63	61.34
2008	085-046	4050	1049	65560	62.50	10263	9.78	72.28
2008	085-046	4060	274	13800	50.36	2596	9.47	59.84
2008	085-046	4080	338	20718	61.30	659	1.95	63.25
2008	085-046	4120	266	12915	48.55	1335	5.02	53.57
2008	085-046	4130	266	20930	78.68	817	3.07	81.76
2008	085-048	1050	317	10750	33.91	994	3.14	37.05
2008	085-048	3000	258	10569	40.97	1074	4.16	45.13
2008	085-048	4020	500	8426	16.85	1404	2.81	19.66
2008	085-049	1050	0	0	#DIV/0!	0	#DIV/0!	#DIV/0!
2008	085-049	4020	0	0	#DIV/0!	0	#DIV/0!	#DIV/0!
2008	086-100	1050	235	4703	20.01	448	1.91	21.92
2008	086-100	3000	170	1806	10.62	0	0.00	10.62
2008	086-100	4040	370	4594	12.42	101	0.27	12.69
2008	087-083	1050	287	6984	24.33	156	0.54	24.88
2008	087-083	2050	138	6984	50.61	156	1.13	51.74
2008	087-083	4020	113	2810	24.87	67	0.59	25.46
2008	087-083	4040	202	4483	22.19	67	0.33	22.52
2008	088-072	1000	440	4916	11.17	1315	2.99	14.16
2008	088-073	4020	168	4250	25.30	350	2.08	27.38
2008	088-075	1050	0	0	#DIV/0!	0	#DIV/0!	#DIV/0!
2008	088-080	1050	199	6700	33.67	2000	10.05	43.72
2008	088-080	3000	190	4025	21.18	1000	5.26	26.45
2008	088-080	4020	281	5055	17.99	670	2.38	20.37
2008	088-081	1050	717	11106	15.49	1463	2.04	17.53
2008	088-081	3000	514	4549	8.85	1836	3.57	12.42
2008	088-081	4020	521	6373	12.23	1942	3.73	15.96
2008	088-081	4060	287	4472	15.58	1600	5.57	21.16
2008	088-081	4080	299	4472	14.96	1600	5.35	20.31
2008	089-077	1050	94	2153	22.90	50	0.53	23.44
2008	089-080	1050	851	3880	4.56	0	0.00	4.56
2008	089-080	4040	490	10495	21.42	1129	2.30	23.72
2008	089-087	1000	425	8423	19.82	787	1.85	21.67
2008	089-088	4020	208	4770	22.93	99	0.48	23.41
2008	089-089	1050	490	8863	18.09	1205	2.46	20.55
2008	089-089	3000	352	9285	26.38	800	2.27	28.65
2008	089-089	4020	275	6472	23.53	745	2.71	26.24
2008	089-089	4030	570	268	0.47	0	0.00	0.47
2008	090-075	4020	60	1000	16.67	100	1.67	18.33

2008	090-076	1050	0	2712	#DIV/0!	1923	#DIV/0!	#DIV/0!
2008	090-076	4020	297	3282	11.05	2720	9.16	20.21
2008	090-077	1050	101	0	0.00	1000	9.90	9.90
2008	090-077	4020	164	0	0.00	1500	9.15	9.15
2008	090-078	1050	233	13405	57.53	1540	6.61	64.14
2008	091-091	1050	0	2038	#DIV/0!	1957	#DIV/0!	#DIV/0!
2008	091-091	4020	0	0	#DIV/0!	0	#DIV/0!	#DIV/0!
2008	091-092	1050	486	9400	19.34	1510	3.11	22.45
2008	091-092	3000	343	8580	25.01	3500	10.20	35.22
2008	091-092	4020	704	8909	12.65	200	0.28	12.94
2008	091-093	4040	174	8504	48.87	637	3.66	52.53
2008	091-095	4020	147	6905	46.97	410	2.79	49.76
2008	092-087	1050	1283	13917	10.85	1044	0.81	11.66
2008	092-087	1075	1560	21164	13.57	2400	1.54	15.11
2008	092-087	1080	604	106700	176.66	3000	4.97	181.62
2008	092-087	1090	2335	31300	13.40	1500	0.64	14.05
2008	092-087	3000	1128	13342	11.83	1768	1.57	13.40
2008	092-087	3050	830	11584	13.96	950	1.14	15.10
2008	092-087	3070	1156	12488	10.80	1550	1.34	12.14
2008	092-087	3090	1284	11849	9.23	2060	1.60	10.83
2008	092-087	4020	460	11862	25.79	216	0.47	26.26
2008	092-087	4030	820	13471	16.43	672	0.82	17.25
2008	092-087	4040	487	5391	11.07	863	1.77	12.84
2008	092-087	4050	501	6375	12.72	900	1.80	14.52
2008	092-087	4070	926	15835	17.10	1698	1.83	18.93
2008	092-087	4080	514	7150	13.91	400	0.78	14.69
2008	092-087	4090	507	4581	9.04	500	0.99	10.02
2008	092-087	4100	654	8199	12.54	1538	2.35	14.89
2008	092-087	4120	637	8000	12.56	1025	1.61	14.17
2008	092-087	4130	488	7207	14.77	200	0.41	15.18
2008	092-087	4140	581	9499	16.35	575	0.99	17.34
2008	092-087	4150	566	6606	11.67	924	1.63	13.30
2008	092-087	4160	454	16503	36.35	1000	2.20	38.55
2008	092-087	4170	692	16832	24.32	650	0.94	25.26
2008	092-088	1000	0	25889	#DIV/0!	0	#DIV/0!	#DIV/0!
2008	092-088	1050	1985	0	0.00	0	0.00	0.00
2008	092-088	1075	2068	33701	16.30	1496	0.72	17.02
2008	092-088	1090	2087	33506	16.05	5038	2.41	18.47
2008	092-088	3000	852	14858	17.44	1500	1.76	19.20
2008	092-088	3100	690	14720	21.33	985	1.43	22.76
2008	092-088	3200	787	13046	16.58	750	0.95	17.53
2008	092-088	3300	749	12797	17.09	800	1.07	18.15
2008	092-088	3400	901	14813	16.44	0	0.00	16.44
2008	092-088	4020	947	15114	15.96	1718	1.81	17.77
2008	092-088	4035	958	16876	17.62	409	0.43	18.04
2008	092-088	4040	850	15435	18.16	1569	1.85	20.00
2008	092-088	4060	430	8873	20.63	1089	2.53	23.17

2008	092-088	4070	932	18713	20.08	2300	2.47	22.55
2008	092-088	5000	531	12334	23.23	734	1.38	24.61
2008	092-088	5010	690	17432	25.26	200	0.29	25.55
2008	092-088	5020	754	13812	18.32	750	0.99	19.31
2008	092-088	5030	772	21552	27.92	401	0.52	28.44
2008	092-088	5040	733	10976	14.97	659	0.90	15.87
2008	092-089	1050	1597	36662	22.96	6376	3.99	26.95
2008	092-089	1060	1501	36002	23.99	5656	3.77	27.75
2008	092-089	3000	854	19184	22.46	3488	4.08	26.55
2008	092-089	3030	670	19672	29.36	2504	3.74	33.10
2008	092-089	3050	981	52726	53.75	3976	4.05	57.80
2008	092-089	4030	1462	32384	22.15	5888	4.03	26.18
2008	092-089	4040	501	60418	120.59	2328	4.65	125.24
2008	092-089	4050	810	17908	22.11	7202	8.89	31.00
2008	092-089	4060	843	25140	29.82	3480	4.13	33.95
2008	092-089	4070	691	17776	25.73	3232	4.68	30.40
2008	092-089	4080	714	41600	58.26	3420	4.79	63.05
2008	092-089	4100	486	30420	62.59	2084	4.29	66.88
2008	092-090	1050	957	20424	21.34	1644	1.72	23.06
2008	092-090	1075	978	19939	20.39	4391	4.49	24.88
2008	092-090	3000	758	4047	5.34	0	0.00	5.34
2008	092-090	3010	695	12032	17.31	712	1.02	18.34
2008	092-090	4045	383	5970	15.59	446	1.16	16.75
2008	092-090	4060	463	10515	22.71	446	0.96	23.67
2008	092-090	4080	200	3716	18.58	637	3.19	21.77
2008	092-090	4120	505	6195	12.27	0	0.00	12.27
2008	092-090	4140	335	5698	17.01	668	1.99	19.00
2008	092-091	1050	402	12704	31.60	540	1.34	32.95
2008	092-091	3000	323	8676	26.86	1513	4.68	31.54
2008	092-091	4020	649	20955	32.29	1014	1.56	33.85
2008	093-120	1000	408	6250	15.32	2049	5.02	20.34
2008	093-121	4020	57	2510	44.04	64	1.12	45.16
2008	093-123	1050	227	1132	4.99	0	0.00	4.99
2008	093-123	4020	229	980	4.28	0	0.00	4.28
2008	093-124	1050	252	1484	5.89	189	0.75	6.64
2008	093-124	4020	267	1048	3.93	166	0.62	4.55
2008	094-076	1050	650	6848	10.54	598	0.92	11.46
2008	094-078	1020	50	0	0.00	0	0.00	0.00
2008	094-078	1050	1152	13200	11.46	6000	5.21	16.67
2008	094-078	3000	571	7779	13.62	5269	9.23	22.85
2008	094-078	4020	279	1616	5.79	279	1.00	6.79
2008	094-078	4030	387	3450	8.91	495	1.28	10.19
2008	094-078	4040	344	3827	11.13	384	1.12	12.24
2008	094-078	4050	559	10149	18.16	1185	2.12	20.28
2008	094-078	4060	379	6500	17.15	500	1.32	18.47
2008	094-083	1050	1010	16642	16.48	1271	1.26	17.74
2008	094-083	3000	484	5979	12.35	350	0.72	13.08

2008	094-083	4020	869	2310	2.66	0	0.00	2.66
2008	094-083	4030	443	8602	19.42	1200	2.71	22.13
2008	094-083	4040	420	4761	11.34	336	0.80	12.14
2008	094-086	1050	545	9000	16.51	2000	3.67	20.18
2008	094-086	2050	433	2477	5.72	100	0.23	5.95
2008	094-086	4020	484	4500	9.30	500	1.03	10.33
2008	094-086	4060	430	8300	19.30	0	0.00	19.30
2008	094-087	1050	285	3611	12.67	798	2.80	15.47
2008	094-087	3000	227	4197	18.49	943	4.15	22.64
2008	094-087	4020	450	4591	10.20	2823	6.27	16.48
2008	095-059	1050	1163	17336	14.91	1235	1.06	15.97
2008	095-059	4020	306	8181	26.74	286	0.93	27.67
2008	095-059	4040	500	9487	18.97	210	0.42	19.39
2008	096-088	1050	2603	64656	24.84	6300	2.42	27.26
2008	096-088	1060	1631	44869	27.51	2835	1.74	29.25
2008	096-088	1075	2566	59471	23.18	3000	1.17	24.35
2008	096-088	2050	794	115279	145.19	2500	3.15	148.34
2008	096-088	2070	806	30642	38.02	0	0.00	38.02
2008	096-088	2100	496	112683	227.18	0	0.00	227.18
2008	096-088	2130	897	35589	39.68	0	0.00	39.68
2008	096-088	2150	893	21587	24.17	2000	2.24	26.41
2008	096-088	2170	687	19876	28.93	3666	5.34	34.27
2008	096-088	4020	345	8303	24.07	200	0.58	24.65
2008	096-088	4040	421	9624	22.86	200	0.48	23.33
2008	096-088	4060	371	9504	25.62	0	0.00	25.62
2008	096-088	4080	329	7681	23.35	200	0.61	23.95
2008	096-088	4100	409	10611	25.94	285	0.70	26.64
2008	096-088	4140	344	9532	27.71	200	0.58	28.29
2008	096-088	4150	467	10774	23.07	391	0.84	23.91
2008	096-088	4160	386	10049	26.03	122	0.32	26.35
2008	096-088	4170	389	8376	21.53	200	0.51	22.05
2008	096-088	4180	454	13172	29.01	131	0.29	29.30
2008	096-088	4200	395	11487	29.08	300	0.76	29.84
2008	096-088	4210	402	12878	32.03	200	0.50	32.53
2008	096-088	4220	429	13713	31.97	300	0.70	32.66
2008	096-088	4240	423	12014	28.40	630	1.49	29.89
2008	096-088	4250	352	7365	20.92	354	1.01	21.93
2008	096-088	4260	414	12606	30.45	599	1.45	31.90
2008	096-088	4280	345	10630	30.81	170	0.49	31.30
2008	096-088	4300	384	11263	29.33	680	1.77	31.10
2008	096-088	4320	355	10752	30.29	200	0.56	30.85
2008	096-088	4340	529	12653	23.92	250	0.47	24.39
2008	096-089	1000	0	39829	#DIV/0!	3650	#DIV/0!	#DIV/0!
2008	096-089	1050	1515	13091	8.64	0	0.00	8.64
2008	096-089	1060	942	14440	15.33	703	0.75	16.08
2008	096-089	1070	1937	18383	9.49	198	0.10	9.59
2008	096-089	3000	364	6489	17.83	0	0.00	17.83

2008	096-089	3030	895	8311	9.29	0	0.00	9.29
2008	096-089	3050	703	14628	20.81	0	0.00	20.81
2008	096-089	4010	305	4249	13.93	206	0.68	14.61
2008	096-089	4020	304	3714	12.22	920	3.03	15.24
2008	096-089	4040	293	5142	17.55	205	0.70	18.25
2008	096-089	4060	271	5848	21.58	161	0.59	22.17
2008	096-089	4080	428	6135	14.33	116	0.27	14.61
2008	096-089	4100	274	3822	13.95	183	0.67	14.62
2008	096-089	4140	400	4929	12.32	270	0.68	13.00
2008	096-089	4160	322	6722	20.88	70	0.22	21.09
2008	096-089	4180	369	5812	15.75	0	0.00	15.75
2008	096-089	4190	185	1953	10.56	0	0.00	10.56
2008	096-089	4200	312	4025	12.90	13	0.04	12.94
2008	096-089	4210	448	7291	16.27	0	0.00	16.27
2008	096-089	4240	359	6533	18.20	81	0.23	18.42
2008	096-089	4260	319	5062	15.87	87	0.27	16.14
2008	096-089	4280	215	2276	10.59	0	0.00	10.59
2008	096-089	4320	468	5858	12.52	73	0.16	12.67
2008	096-089	4340	582	6841	11.75	100	0.17	11.93
2008	096-090	1050	1824	46954	25.74	10600	5.81	31.55
2008	096-090	3025	614	14958	24.36	2950	4.80	29.17
2008	096-090	3050	494	13918	28.17	2500	5.06	33.23
2008	096-090	4020	238	5745	24.14	500	2.10	26.24
2008	096-090	4060	246	6488	26.37	750	3.05	29.42
2008	096-090	5040	337	8470	25.13	600	1.78	26.91
2008	096-090	5060	567	13699	24.16	3500	6.17	30.33
2008	096-090	6000	359	8940	24.90	2366	6.59	31.49
2008	096-090	6020	371	9237	24.90	900	2.43	27.32
2008	096-090	6060	356	7850	22.05	2800	7.87	29.92
2008	096-091	1050	1770	36099	20.39	450	0.25	20.65
2008	096-091	1075	2061	40200	19.51	2075	1.01	20.51
2008	096-091	1080	2178	40175	18.45	1500	0.69	19.13
2008	096-091	1085	1383	32112	23.22	807	0.58	23.80
2008	096-091	3000	799	14914	18.67	273	0.34	19.01
2008	096-091	3020	1183	20468	17.30	1400	1.18	18.49
2008	096-091	3040	870	13900	15.98	1300	1.49	17.47
2008	096-091	3050	785	13723	17.48	600	0.76	18.25
2008	096-091	3060	945	16200	17.14	350	0.37	17.51
2008	096-091	3080	711	20856	29.33	0	0.00	29.33
2008	096-091	4020	490	9799	20.00	1100	2.24	22.24
2008	096-091	4040	342	11410	33.36	901	2.63	36.00
2008	096-091	4060	543	14355	26.44	1195	2.20	28.64
2008	096-091	4080	594	8154	13.73	249	0.42	14.15
2008	096-091	4090	535	14950	27.94	525	0.98	28.93
2008	096-091	4100	288	4415	15.33	250	0.87	16.20
2008	096-091	4110	507	9428	18.60	0	0.00	18.60
2008	096-091	4120	507	10880	21.46	902	1.78	23.24

2008	096-091	4125	487	11251	23.10	500	1.03	24.13
2008	096-091	4130	508	10959	21.57	500	0.98	22.56
2008	096-091	4135	461	8200	17.79	0	0.00	17.79
2008	096-091	4140	446	7482	16.78	154	0.35	17.12
2008	096-091	4145	617	11000	17.83	0	0.00	17.83
2008	096-091	4150	618	1087	1.76	0	0.00	1.76
2008	096-091	4155	509	8688	17.07	93	0.18	17.25
2008	096-091	4160	586	9485	16.19	961	1.64	17.83
2008	096-091	4165	549	10748	19.58	259	0.47	20.05
2008	096-091	4170	497	10741	21.61	200	0.40	22.01
2008	096-091	4175	560	7163	12.79	650	1.16	13.95
2008	096-092	1050	1684	19147	11.37	635	0.38	11.75
2008	096-092	3000	572	9800	17.13	500	0.87	18.01
2008	096-092	3025	579	11323	19.56	0	0.00	19.56
2008	096-092	5000	431	11150	25.87	1300	3.02	28.89
2008	096-092	5020	356	8958	25.16	0	0.00	25.16
2008	096-092	5060	414	11680	28.21	1049	2.53	30.75
2008	096-092	6000	525	10620	20.23	126	0.24	20.47
2008	096-093	1050	1946	55046	28.29	4340	2.23	30.52
2008	096-093	3070	1321	34730	26.29	1000	0.76	27.05
2008	096-093	4040	281	8631	30.72	250	0.89	31.60
2008	096-093	5020	400	11559	28.90	0	0.00	28.90
2008	096-093	5040	358	9502	26.54	0	0.00	26.54
2008	096-093	5060	448	14187	31.67	100	0.22	31.89
2008	096-093	5070	845	22947	27.16	500	0.59	27.75
2008	096-094	1050	1927	26910	13.96	2250	1.17	15.13
2008	096-094	1075	1999	21247	10.63	3000	1.50	12.13
2008	096-094	3000	633	6203	9.80	750	1.18	10.98
2008	096-094	3020	691	8869	12.84	3622	5.24	18.08
2008	096-094	3040	560	5569	9.94	753	1.34	11.29
2008	096-094	3060	721	9941	13.79	750	1.04	14.83
2008	096-094	4020	335	5740	17.13	1236	3.69	20.82
2008	096-094	4060	624	6643	10.65	2303	3.69	14.34
2008	096-094	4070	502	7409	14.76	1852	3.69	18.45
2008	096-094	4080	436	8550	19.61	1609	3.69	23.30
2008	096-094	4090	321	4823	15.02	7484	23.31	38.34
2008	096-094	5000	444	5561	12.52	3571	8.04	20.57
2008	096-094	5020	462	6805	14.73	1705	3.69	18.42
2008	096-094	5040	385	8071	20.96	3483	9.05	30.01
2008	096-094	5060	521	12346	23.70	1922	3.69	27.39
2008	096-094	5100	415	7080	17.06	1531	3.69	20.75
2008	096-095	1050	1354	17707	13.08	3526	2.60	15.68
2008	096-095	1075	1441	27247	18.91	2544	1.77	20.67
2008	096-095	1080	1342	26715	19.91	12473	9.29	29.20
2008	096-095	1090	1923	33074	17.20	935	0.49	17.69
2008	096-095	3000	746	15788	21.16	481	0.64	21.81
2008	096-095	3020	897	18730	20.88	1109	1.24	22.12

2008	096-095	3040	1026	21151	20.62	1042	1.02	21.63
2008	096-095	3060	710	15588	21.95	470	0.66	22.62
2008	096-095	3080	903	26394	29.23	1918	2.12	31.35
2008	096-095	4020	411	10996	26.75	9	0.02	26.78
2008	096-095	4030	413	12060	29.20	730	1.77	30.97
2008	096-095	4035	420	9265	22.06	1869	4.45	26.51
2008	096-095	4040	413	10772	26.08	77	0.19	26.27
2008	096-095	4060	460	14390	31.28	1160	2.52	33.80
2008	096-095	4100	466	9916	21.28	500	1.07	22.35
2008	096-095	4110	403	11023	27.35	0	0.00	27.35
2008	096-095	4120	402	8969	22.31	459	1.14	23.45
2008	096-095	4130	362	9732	26.88	0	0.00	26.88
2008	096-095	4160	385	11021	28.63	200	0.52	29.15
2008	096-095	4180	505	14843	29.39	600	1.19	30.58
2008	096-095	4190	511	13355	26.14	152	0.30	26.43
2008	096-095	4200	3337	9132	2.74	0	0.00	2.74
2008	096-095	4210	245	6928	28.28	72	0.29	28.57
2008	096-095	4220	420	10778	25.66	100	0.24	25.90
2008	096-095	4235	402	12017	29.89	603	1.50	31.39
2008	096-095	4245	430	10476	24.36	1174	2.73	27.09
2008	096-095	4260	375	8713	23.23	1900	5.07	28.30
2008	096-098	1050	860	10038	11.67	408	0.47	12.15
2008	096-098	3000	610	8300	13.61	500	0.82	14.43
2008	096-098	4040	537	10844	20.19	350	0.65	20.85
2008	096-098	4080	452	11080	24.51	0	0.00	24.51
2008	096-099	1050	540	10338	19.14	528	0.98	20.12
2008	096-099	2000	272	10429	38.34	521	1.92	40.26
2008	096-099	4040	885	9367	10.58	575	0.65	11.23
2008	096-101	1050	389	13419	34.50	750	1.93	36.42
2008	096-101	4040	147	9845	66.97	387	2.63	69.61
2008	096-101	4060	175	10374	59.28	3256	18.61	77.89
2008	096-102	1050	857	32310	37.70	5000	5.83	43.54
2008	096-102	3000	599	17285	28.86	4930	8.23	37.09
2008	096-102	4020	312	5000	16.03	500	1.60	17.63
2008	096-102	4040	373	10200	27.35	2000	5.36	32.71
2008	096-102	5000	367	8642	23.55	1040	2.83	26.38
2008	096-103	1050	937	15184	16.20	720	0.77	16.97
2008	096-103	4020	850	21020	24.73	0	0.00	24.73
2008	096-104	1050	883	3120	3.53	1559	1.77	5.30
2008	096-104	2050	534	19878	37.22	1474	2.76	39.99
2008	096-104	4020	342	21608	63.18	1475	4.31	67.49
2008	096-104	4030	264	21608	81.85	1475	5.59	87.44
2008	096-104	4040	417	14338	34.38	1410	3.38	37.76
2008	096-104	4050	168	7276	43.31	1427	8.49	51.80
2008	096-104	4060	0	11501	#DIV/0!	1435	#DIV/0!	#DIV/0!
2008	096-104	4070	222	7528	33.91	1484	6.68	40.59
2008	096-106	1050	1217	17297	14.21	1106	0.91	15.12

2008	096-106	3000	783	12641	16.14	501	0.64	16.78
2008	096-106	4040	372	7943	21.35	522	1.40	22.76
2008	096-106	5020	374	14400	38.50	500	1.34	39.84
2008	096-106	5040	381	5000	13.12	318	0.83	13.96
2008	096-106	5080	435	11936	27.44	1637	3.76	31.20
2008	096-107	1050	490	20500	41.84	0	0.00	41.84
2008	096-107	4040	375	9550	25.47	50	0.13	25.60
2008	096-107	4080	254	3000	11.81	500	1.97	13.78
2008	096-109	1050	1279	22220	17.37	1899	1.48	18.86
2008	096-109	3000	726	18982	26.15	1899	2.62	28.76
2008	096-109	4020	221	7875	35.63	1899	8.59	44.23
2008	096-109	4040	212	7000	33.02	1899	8.96	41.98
2008	096-109	4060	336	269	0.80	0	0.00	0.80
2008	096-109	4100	290	11252	38.80	1899	6.55	45.35
2008	096-109	4145	826	17397	21.06	1899	2.30	23.36
2008	096-109	4150	235	7500	31.91	1899	8.08	40.00
2008	096-109	4160	262	7500	28.63	1899	7.25	35.87
2008	096-109	4180	170	6069	35.70	1899	11.17	46.87
2008	096-110	1050	1819	19265	10.59	1055	0.58	11.17
2008	096-110	3000	741	13018	17.57	5868	7.92	25.49
2008	096-110	3050	693	10124	14.61	72	0.10	14.71
2008	096-110	4020	469	6980	14.88	181	0.39	15.27
2008	096-110	4100	502	6407	12.76	0	0.00	12.76
2008	096-110	4120	479	5868	12.25	78	0.16	12.41
2008	096-110	4140	466	6196	13.30	0	0.00	13.30
2008	096-110	4160	551	6336	11.50	1263	2.29	13.79
2008	096-110	4220	450	0	0.00	0	0.00	0.00
2008	096-111	1050	1976	14564	7.37	1336	0.68	8.05
2008	096-111	3000	638	0	0.00	0	0.00	0.00
2008	096-111	4020	485	0	0.00	0	0.00	0.00
2008	096-111	4040	550	0	0.00	0	0.00	0.00
2008	096-111	4050	530	11000	20.75	290	0.55	21.30
2008	096-111	4060	415	0	0.00	0	0.00	0.00
2008	096-111	4080	420	0	0.00	0	0.00	0.00
2008	096-111	5000	450	6000	13.33	0	0.00	13.33
2008	096-111	5020	351	2700	7.69	0	0.00	7.69
2008	096-111	5040	422	10500	24.88	0	0.00	24.88
2008	096-111	6020	474	11550	24.37	100	0.21	24.58
2008	096-111	6040	575	6850	11.91	900	1.57	13.48
2008	096-112	1050	996	30028	30.15	602	0.60	30.75
2008	096-112	2000	521	19545	37.51	263	0.50	38.02
2008	096-112	4060	255	17657	69.24	100	0.39	69.64
2008	096-112	4080	173	3867	22.35	0	0.00	22.35
2008	096-112	4100	330	8060	24.42	0	0.00	24.42
2008	096-112	4140	322	7182	22.30	0	0.00	22.30
2008	096-112	4180	271	7220	26.64	0	0.00	26.64
2008	096-112	4200	378	8721	23.07	100	0.26	23.34

2008	096-113	1050	491	24459	49.81	1702	3.47	53.28
2008	096-113	4020	502	16200	32.27	700	1.39	33.67
2008	096-114	1050	1414	18718	13.24	1826	1.29	14.53
2008	096-114	3000	620	12562	20.26	815	1.31	21.58
2008	096-114	4020	455	6581	14.46	0	0.00	14.46
2008	096-114	4040	479	5000	10.44	0	0.00	10.44
2008	096-114	4060	285	6563	23.03	357	1.25	24.28
2008	096-114	4100	354	7541	21.30	100	0.28	21.58
2008	096-114	4120	200	1906	9.53	337	1.69	11.22
2008	096-114	4180	445	9717	21.84	817	1.84	23.67
2008	096-115	1050	178	2000	11.24	800	4.49	15.73
2008	096-115	3000	140	0	0.00	400	2.86	2.86
2008	096-115	4020	230	1700	7.39	600	2.61	10.00
2008	096-119	1000	0	19928	#DIV/0!	1000	#DIV/0!	#DIV/0!
2008	096-119	1100	1248	10788	8.64	936	0.75	9.39
2008	096-119	1150	800	177	0.22	264	0.33	0.55
2008	096-119	4029	146	802	5.49	0	0.00	5.49
2008	096-119	4069	129	9377	72.69	1667	12.92	85.61
2008	096-119	4269	92	1800	19.57	0	0.00	19.57
2008	097-116	4020	59	1431	24.25	271	4.59	28.85
2008	097-118	4020	34	2500	73.53	0	0.00	73.53
2008	097-119	4020	139	2829	20.35	458	3.29	23.65
2008	097-122	4020	55	2564	46.62	295	5.36	51.98
2008	097-127	4020	38	1852	48.74	495	13.03	61.76
2008	097-129	1050	898	23794	26.50	925	1.03	27.53
2008	097-129	3000	676	10800	15.98	500	0.74	16.72
2008	097-129	4020	258	4099	15.89	100	0.39	16.28
2008	097-129	4060	214	6787	31.71	30	0.14	31.86
2008	097-129	4080	202	4743	23.48	41	0.20	23.68
2008	097-129	5000	216	4870	22.55	50	0.23	22.78
2008	097-130	4020	400	5858	14.65	496	1.24	15.89
2008	097-131	1050	290	2500	8.62	1200	4.14	12.76
2008	097-131	4020	140	1850	13.21	1200	8.57	21.79
2008	098-080	1050	347	0	0.00	0	0.00	0.00
2008	098-080	4020	353	3314	9.39	1012	2.87	12.25
2008	099-078	4020	27	8704	322.37	0	0.00	322.37
2008	099-082	1050	303	2444	8.07	848	2.80	10.86
2008	099-082	4040	310	1197	3.86	526	1.70	5.56
2008	100-059	1050	571	3624	6.35	612	1.07	7.42
2008	100-059	4020	420	4000	9.52	1125	2.68	12.20
2008	100-060	1050	256	7548	29.48	1054	4.12	33.60
2008	100-060	4020	292	7505	25.70	289	0.99	26.69
2008	100-061	1050	568	6735	11.86	1662	2.93	14.78
2008	100-061	4020	404	5904	14.61	1742	4.31	18.93
2008	100-062	4020	362	7534	20.81	344	0.95	21.76
2008	100-063	1050	1139	18800	16.51	1500	1.32	17.82
2008	100-063	2050	539	14770	27.40	2500	4.64	32.04

2008	100-063	3050	503	13955	27.74	680	1.35	29.10
2008	100-063	4020	265	1500	5.66	0	0.00	5.66
2008	100-063	4040	325	9518	29.29	0	0.00	29.29
2008	100-063	4050	307	7350	23.94	230	0.75	24.69
2008	100-063	4060	225	9068	40.30	0	0.00	40.30
2008	100-063	4070	303	8400	27.72	230	0.76	28.48
2008	100-064	4020	101	6257	61.95	4583	45.38	107.33
2008	100-065	1050	361	8500	23.55	2000	5.54	29.09
2008	101-105	1050	275	3396	12.35	1094	3.98	16.33
2008	101-105	4020	256	2641	10.32	650	2.54	12.86
2008	101-107	1050	143	3632	25.40	683	4.78	30.17
2008	101-107	4020	160	2219	13.87	760	4.75	18.62
2008	102-081	1000	321	500	1.56	276	0.86	2.42
2008	102-081	1050	167	2459	14.72	160	0.96	15.68
2008	102-081	4060	154	87338	567.13	210	1.36	568.49
2008	102-085	1050	424	11379	26.84	1109	2.62	29.45
2008	102-085	4020	107	2709	25.32	22	0.21	25.52
2008	102-085	4040	239	4652	19.46	497	2.08	21.54
2008	103-127	1050	301	11993	39.84	1053	3.50	43.34
2008	103-128	1050	266	10499	39.47	309	1.16	40.63
2008	103-129	1050	480	8142	16.96	1489	3.10	20.06
2008	103-130	1050	749	8963	11.97	139	0.19	12.15
2008	103-131	1050	427	6127	14.35	340	0.80	15.15
2008	103-131	4020	317	4361	13.76	2518	7.94	21.70
2008	103-132	1050	594	13000	21.89	3500	5.89	27.78
2008	103-132	3000	0	5317	#DIV/0!	0	#DIV/0!	#DIV/0!
2008	103-132	4020	465	2996	6.44	748	1.61	8.05
2008	103-132	4040	480	2797	5.83	691	1.44	7.27
2008	103-135	1050	250	10872	43.49	0	0.00	43.49
2008	103-135	4020	320	11210	35.03	0	0.00	35.03
2008	104-041	1050	264	323	1.22	16	0.06	1.28
2008	104-042	1050	220	567	2.58	329	1.50	4.07
2008	104-042	4020	0	2918	#DIV/0!	1997	#DIV/0!	#DIV/0!
2008	104-043	1000	811	23348	28.79	1986	2.45	31.24
2008	104-044	1050	0	16913	#DIV/0!	1322	#DIV/0!	#DIV/0!
2008	104-044	3000	340	9748	28.67	954	2.81	31.48
2008	104-044	4020	345	11624	33.69	1000	2.90	36.59
2008	104-044	4030	476	10000	21.01	1000	2.10	23.11
2008	104-044	4040	311	11573	37.21	484	1.56	38.77
2008	104-045	1050	276	8089	29.31	566	2.05	31.36
2008	104-045	4020	405	8876	21.92	1503	3.71	25.63
2008	105-123	4020	330	9662	29.28	3985	12.08	41.35
2008	105-124	1000	709	41307	58.26	2500	3.53	61.79
2008	105-125	1000	94	250	2.66	0	0.00	2.66
2008	106-001	4020	220	2480	11.27	0	0.00	11.27
2008	106-002	4020	231	3112	13.47	1920	8.31	21.78
2008	106-003	1050	506	10500	20.75	1150	2.27	23.02

2008	106-003	4020	627	10120	16.14	0	0.00	16.14
2008	106-004	1050	1276	19100	14.97	1000	0.78	15.75
2008	106-004	2050	579	9878	17.06	1000	1.73	18.79
2008	106-004	4020	936	18003	19.23	1600	1.71	20.94
2008	106-004	4040	578	21047	36.41	6250	10.81	47.23
2008	106-004	4050	600	14500	24.17	2500	4.17	28.33
2008	106-005	1050	398	11148	28.01	0	0.00	28.01
2008	106-005	2050	386	16952	43.92	1755	4.55	48.46
2008	106-005	4020	484	15408	31.83	2352	4.86	36.69
2008	106-006	3000	177	6437	36.37	1044	5.90	42.27
2008	106-006	4020	138	5267	38.17	855	6.20	44.36
2008	106-008	4020	72	5300	73.61	3300	45.83	119.44
2008	107-151	4020	112	1176	10.50	75	0.67	11.17
2008	107-152	1050	606	6887	11.36	1672	2.76	14.12
2008	107-152	4020	420	5450	12.98	771	1.84	14.81
2008	107-153	1050	180	8635	47.97	124	0.69	48.66
2008	107-153	4020	197	11153	56.61	420	2.13	58.75
2008	107-154	1050	0	5172	#DIV/0!	3848	#DIV/0!	#DIV/0!
2008	107-154	4020	407	4847	11.91	3994	9.81	21.72
2008	107-155	1050	240	10677	44.49	597	2.49	46.98
2008	107-155	3000	234	9853	42.11	2250	9.62	51.72
2008	107-155	4020	316	9373	29.66	5499	17.40	47.06
2008	107-156	1000	634	0	0.00	0	0.00	0.00
2008	107-158	4020	120	14759	122.99	568	4.73	127.73
2008	108-142	1050	750	8500	11.33	2000	2.67	14.00
2008	108-142	3000	560	11080	19.79	3825	6.83	26.62
2008	108-142	4020	201	4912	24.44	1945	9.68	34.11
2008	108-142	4040	359	2350	6.55	1205	3.36	9.90
2008	108-142	4080	576	13472	23.39	19119	33.19	56.58
2008	108-143	1050	231	6000	25.97	1800	7.79	33.77
2008	108-144	1000	187	1000	5.35	0	0.00	5.35
2008	108-147	1050	102	827	8.11	0	0.00	8.11
2008	108-147	4020	135	10648	78.87	1146	8.49	87.36
2008	109-002	1050	439	10330	23.53	1000	2.28	25.81
2008	109-002	3000	420	9000	21.43	1000	2.38	23.81
2008	109-002	4020	570	9000	15.79	1500	2.63	18.42
2008	109-003	1050	945	14430	15.27	4066	4.30	19.57
2008	109-003	2050	673	2200	3.27	1300	1.93	5.20
2008	109-003	4020	434	6636	15.29	850	1.96	17.25
2008	109-003	4040	453	5866	12.95	822	1.81	14.76
2008	109-003	4060	454	7828	17.24	822	1.81	19.05
2008	110-014	1050	600	0	0.00	0	0.00	0.00
2008	110-014	4040	186	0	0.00	0	0.00	0.00
2008	110-029	1050	761	14500	19.05	500	0.66	19.71
2008	110-029	3000	344	7241	21.05	500	1.45	22.50
2008	110-029	4040	483	45345	93.88	707	1.46	95.35
2008	110-029	4080	850	11500	13.53	3500	4.12	17.65

2008	110-030	4020	200	7076	35.38	2487	12.44	47.82
2008	110-031	1050	210	7383	35.16	1443	6.87	42.03
2008	110-031	4020	119	5215	43.82	1136	9.55	53.37
2008	110-031	4040	139	4779	34.38	2015	14.50	48.88
2008	111-086	1050	364	2428	6.67	2353	6.46	13.13
2008	111-086	4010	310	7245	23.37	580	1.87	25.24
2008	111-086	4020	66	2787	42.23	160	2.42	44.65
2008	111-087	1050	327	1089	3.33	980	3.00	6.33
2008	111-087	3000	325	3000	9.23	400	1.23	10.46
2008	111-087	4040	403	4626	11.48	446	1.11	12.59
2008	112-099	1050	245	5825	23.78	1356	5.53	29.31
2008	112-101	1050	177	4549	25.70	749	4.23	29.93
2008	112-101	3000	133	4392	33.02	646	4.86	37.88
2008	112-101	4020	300	5702	19.01	1566	5.22	24.23
2008	112-102	1050	910	19545	21.48	1597	1.75	23.23
2008	112-102	2050	705	0	0.00	0	0.00	0.00
2008	112-102	4020	575	15999	27.82	2700	4.70	32.52
2008	112-102	4040	486	10200	20.99	600	1.23	22.22
2008	112-102	4060	504	13087	25.97	4461	8.85	34.82
2008	112-103	1050	461	4138	8.98	600	1.30	10.28
2008	112-103	4020	392	4855	12.39	246	0.63	13.01
2008	113-001	1050	189	3000	15.87	2000	10.58	26.46
2008	113-001	4020	206	2700	13.11	2200	10.68	23.79
2008	114-112	1050	518	1191	2.30	0	0.00	2.30
2008	114-113	4020	120	3059	25.49	682	5.68	31.18
2008	114-113	4040	583	6818	11.69	3730	6.40	18.09
2008	114-114	1050	501	3514	7.01	379	0.76	7.77
2008	114-114	3000	406	4759	11.72	1405	3.46	15.18
2008	114-114	4020	581	14800	25.47	950	1.64	27.11
2008	114-115	1050	376	10398	27.65	205	0.55	28.20
2008	114-115	4020	320	20244	63.26	1983	6.20	69.46
2008	114-116	4020	68	4000	58.82	500	7.35	66.18
2008	115-115	1100	691	1509	2.18	402	0.58	2.77
2008	115-115	1220	1089	2110	1.94	789	0.72	2.66
2008	115-115	1250	875	1899	2.17	239	0.27	2.44
2008	115-115	1440	349	1992	5.71	0	0.00	5.71
2008	115-115	1500	198	1490	7.53	510	2.58	10.10
2008	115-115	1560	315	2023	6.42	228	0.72	7.15
2008	115-115	1600	159	1763	11.09	231	1.45	12.54
2008	115-115	1640	326	1647	5.05	354	1.09	6.14
2008	115-115	1680	1537	1667	1.08	333	0.22	1.30
2008	115-115	1730	597	1992	3.34	0	0.00	3.34
2008	115-115	1800	750	1735	2.31	260	0.35	2.66
2008	115-115	1830	688	1631	2.37	369	0.54	2.91
2008	115-115	1860	637	1809	2.84	0	0.00	2.84
2008	115-115	2070	234	3590	15.34	100	0.43	15.77
2008	115-115	3020	238	5473	23.00	115	0.48	23.48

2008	115-115	3040	250	2530	10.12	130	0.52	10.64
2008	115-115	3050	230	3650	15.87	0	0.00	15.87
2008	115-115	3070	484	2710	5.60	207	0.43	6.03
2008	115-115	3110	243	3113	12.81	196	0.81	13.62
2008	115-115	3130	303	2766	9.13	391	1.29	10.42
2008	115-115	3140	315	7920	25.14	0	0.00	25.14
2008	115-115	3230	371	3998	10.78	103	0.28	11.05
2008	115-115	3240	286	2724	9.52	190	0.66	10.19
2008	115-115	3280	200	2213	11.07	0	0.00	11.07
2008	115-115	3390	425	2213	5.21	0	0.00	5.21
2008	115-115	3400	267	2655	9.94	0	0.00	9.94
2008	115-115	4060	405	2090	5.16	515	1.27	6.43
2008	115-115	4080	292	2559	8.76	101	0.35	9.11
2008	115-115	4180	215	1610	7.49	280	1.30	8.79
2008	115-115	4200	384	1696	4.42	180	0.47	4.89
2008	115-115	4250	283	1458	5.15	432	1.53	6.68
2008	115-115	4360	257	7026	27.34	183	0.71	28.05
2008	115-115	4400	215	2602	12.10	55	0.26	12.36
2008	115-115	4420	220	2565	11.66	95	0.43	12.09
2008	115-115	4440	250	1890	7.56	0	0.00	7.56
2008	115-115	4480	298	3339	11.20	83	0.28	11.48
2008	115-115	4580	185	7478	40.42	183	0.99	41.41
2008	115-115	4660	279	1445	5.18	440	1.58	6.76
2008	115-115	4720	45	1795	39.89	503	11.18	51.07
2008	115-115	4730	506	1818	3.59	53	0.10	3.70
2008	115-115	4760	226	1679	7.43	90	0.40	7.83
2008	115-115	4880	222	2493	11.23	154	0.69	11.92
2008	115-115	4890	246	1700	6.91	154	0.63	7.54
2008	115-115	4900	248	2259	9.11	369	1.49	10.60
2008	115-115	4920	220	1470	6.68	418	1.90	8.58
2008	115-115	5020	302	2364	7.83	27	0.09	7.92
2008	115-115	5030	387	1768	4.57	120	0.31	4.88
2008	115-115	5060	280	1890	6.75	0	0.00	6.75
2008	115-115	5100	300	3046	10.15	126	0.42	10.57
2008	115-115	5180	152	980	6.45	0	0.00	6.45
2008	115-115	5240	250	1789	7.16	100	0.40	7.56
2008	115-115	5260	222	2654	11.95	0	0.00	11.95
2008	115-115	5280	211	2657	12.59	0	0.00	12.59
2008	115-115	5340	346	2854	8.25	631	1.82	10.07
2008	115-115	5500	230	1637	7.12	244	1.06	8.18
2008	115-115	5540	241	1491	6.19	277	1.15	7.34
2008	115-115	5560	313	3457	11.04	333	1.06	12.11
2008	115-115	5590	431	1470	3.41	2967	6.88	10.29
2008	115-115	5600	362	1887	5.21	145	0.40	5.61
2008	115-115	5610	438	2458	5.61	454	1.04	6.65
2008	115-115	5620	298	2207	7.41	145	0.49	7.89
2008	115-115	5740	289	1884	6.52	0	0.00	6.52

2008	115-115	5780	330	1870	5.67	0	0.00	5.67
2008	115-115	5800	150	2653	17.69	262	1.75	19.43
2008	115-115	5820	280	2653	9.48	263	0.94	10.41
2008	115-115	5840	204	2772	13.59	142	0.70	14.28
2008	115-115	5860	297	1743	5.87	132	0.44	6.31
2008	115-115	5880	235	1382	5.88	498	2.12	8.00
2008	115-115	5930	449	1800	4.01	0	0.00	4.01
2008	115-115	5960	269	3172	11.79	0	0.00	11.79
2008	115-115	5970	380	1715	4.51	175	0.46	4.97
2008	115-115	6030	214	1112	5.20	778	3.64	8.83
2008	115-115	6120	319	1610	5.05	280	0.88	5.92
2008	115-115	6140	217	2477	11.41	102	0.47	11.88
2008	115-414	4020	73	8140	111.51	229	3.14	114.64
2008	115-901	1910	425	0	0.00	0	0.00	0.00
2008	115-902	1000	287	0	0.00	0	0.00	0.00
2008	115-902	3910	287	26735	93.15	3565	12.42	105.57
2008	115-903	6915	930	0	0.00	0	0.00	0.00
2008	115-904	1915	807	0	0.00	0	0.00	0.00
2008	115-905	6925	225	1000	4.44	500	2.22	6.67
2008	115-905	6950	215	1000	4.65	500	2.33	6.98
2008	115-906	6930	845	1500	1.78	0	0.00	1.78
2008	115-906	6931	776	600	0.77	0	0.00	0.77
2008	115-906	6932	600	0	0.00	0	0.00	0.00
2008	115-908	6940	308	18200	59.09	0	0.00	59.09
2008	115-910	1915	433	0	0.00	0	0.00	0.00
2008	201-201	1000	1031	0	0.00	0	0.00	0.00