

The International Classification of Diseases (ICD)-10 Coding System for Missouri First Steps
(Updated July 2018)

First Steps Eligibility Reasons And Descriptions		ICD 10 Codes		
Newborn Conditions		DEFAULT CODES		
Low birth weight (< 500 grams)	P07.01			
Low birth weight (500 – 999 grams)	P07.02 (500-749 Grams)	P07.03 (750-999 Grams)		
Low birth weight (1000 – 1499 grams)	P07.14 (1000-1249 Grams)	P07.15 (1250-1499 Grams)		
Diagnosed Conditions		DEFAULT CODES		
Autism Spectrum Disorders				
Autism	F84.0			
- Pervasive Development Disorder (Not Otherwise Specified)	F84.9			
Chromosomal Trisomy				
Down syndrome (Trisomy 21)	Q90.9			
Edwards Syndrome (Trisomy 18)	Q91.3			
Patau Syndrome (Trisomy 13)	Q91.7			
Craniofacial Anomalies				
Cleft Lip	Q36.9 (Unspecified)			
Cleft Palate	Q35.9 (Unspecified)			
Cleft Lip/Palate	Q37.9 (Unspecified cleft palate with unilateral cleft lip)			
Craniofacial Anomalies	Q75.9 (Unspecified)			
Disorders of the Nervous System				
Cerebral Palsy	G80.9			
Encephalopathy	G93.40 (Encephalopathy, Unspecified)			
Encephalopathy	G93.41 (Encephalopathy, Metabolic)			
Encephalopathy	G93.49 (Other Encephalopathy)			
Epilepsy	G40.911 (Epilepsy, unspecified, intractable with status epilepticus)	G40.919 (Epilepsy, unspecified, intractable without status epilepticus)		
Hydrocephalus	Q03.9 (Congenital Hydrocephalus, unspecified)	Q03.0 (Congenital Hydrocephalus, malformations of aqueduct of Sylvius)	Q03.1 (Congenital Hydrocephalus, atresia of foramina of Magendie & Luschka)	Q03.8 (Congenital Hydrocephalus, other)

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd10data.com.

The International Classification of Diseases (ICD)-10 Coding System for Missouri First Steps
(Updated July 2018)

First Steps Eligibility Reasons And Descriptions (continued)		ICD 10 Codes		
Disorders of the Nervous System, continued				
Infantile Spasms (Epileptic Spasms)	G40.821 (Not intractable, with status epilepticus)	G40.822 (Not intractable, without status epilepticus)		
Infantile Spasms	G40.823 (Intractable, with status epilepticus)	G40.824 (Intractable, without status epilepticus)		
Macrocephalus	Q75.3			
Microcephalus	Q02			
Periventricular Leukomalacia	P91.2			
Seizure Disorder	R56.9			
Shaken Baby Syndrome	T74.4XXA (Initial encounter)	T74.4XXD (Subsequent encounter)	T74.4XXS (Sequel)	
Spina Bifida (oculta)	Q76.0			
Spina Bifida (with hydrocephalus)	Q05.4 (Unspecified region)			
Spina Bifida (without mention of hydrocephalus)	Q05.9 (Unspecified region)			
Stroke-Ischemia (Cerebral embolism without mention of cerebral infarction)	I66.9 (Unspecified cerebral artery)	I66.09 (Unspecified middle cerebral artery)	I66.19 (Unspecified anterior cerebral artery)	I66.29 (Unspecified posterior cerebral artery)
Stroke-Ischemia (Cerebral embolism with cerebral infarction)	I63.40 (Unspecified cerebral artery)			
Stroke-Hemorrhage (Cerebral artery occlusion, unspecified, without mention of cerebral infarction)	I66.9 (Unspecified cerebral artery)			
Stroke-Hemorrhage (Cerebral artery occlusion, unspecified, with cerebral infarction)	I63.50 (Unspecified cerebral artery)			
Traumatic Brain Injury	Z87.820			
Disorders Related to Exposure to Toxic Substances				
Fetal Alcohol Syndrome	Q86.0 (Fetal alcohol syndrome-dysmorphic)	P04.3 (Newborn-suspected to be affected by maternal use of alcohol)		
Lead Poisoning-Toxic effect of ...				
-Inorganic Lead Compounds	T56.0X1A (Accidental, initial encounter)	T56.0X2A (Intentional self-harm, initial encounter)	T56.0X3A (Assault, initial encounter)	T56.0X4A (Undetermined, initial encounter)
-Organic Lead Compounds	T56.0X1A (Accidental, initial encounter)	T56.0X2A (Intentional self-harm, initial encounter)	T56.0X3A (Assault, initial encounter)	T56.0X4A (Undetermined, initial encounter)

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd10data.com.

The International Classification of Diseases (ICD)-10 Coding System for Missouri First Steps
(Updated July 2018)

First Steps Eligibility Reasons And Descriptions (continued)		ICD 10 Codes		
Lead Poisoning-Toxic effect of, continued				
-Other Lead Compounds	T56.0X1A (Accidental, initial encounter)	T56.0X2A (Intentional self-harm, initial encounter)	T56.0X3A (Assault, initial encounter)	T56.0X4A (Undetermined, initial encounter)
-Unspecified Lead Compounds	T56.0X1A (Accidental, initial encounter)	T56.0X2A (Intentional self-harm, initial encounter)	T56.0X3A (Assault, initial encounter)	T56.0X4A (Undetermined, initial encounter)
Infections/Viruses/Bacteria				
Acquired Immune Deficiency Syndrome (AIDS)	B20			
Cytomegalovirus	P35.1			
Herpes	P35.2			
Rubella	P35.0			
Syphilis-unspecified	A50.9			
Toxoplasmosis-unspecified	B58.9			
Other Chromosomal Abnormalities				
Angelman Syndrome*	Q93.5			
Cri-du-chat syndrome	Q93.4			
DiGeorge Syndrome	D82.1			
Fragile X Syndrome	Q99.2			
Triple X Syndrome	Q97.0			
Williams Syndrome	Q99.9			
Other Genetic/ Congenital/ Metabolic Conditions				
Cyanotic congenital heart disease	Q20.9 (Congenital malformation of cardiac chambers & connections, unspecified)	Q24.9 (Congenital malformation of heart, unspecified)		
Hypoplastic Left Heart Syndrome	Q23.4			
Muscular Dystrophy – Duchenne Type	G71.0			
Noonan Syndrome*	Q87.1			
Phenylketonuria (PKU)	E70.0			
Pierre Robin	Q87.0			
Tetralogy of Fallot	Q21.3			
Sensory Impairments				
Blind / Visually Impaired - <i>see table on pages 4</i>				
Deaf / Hard of Hearing – <i>see table on pages 4-6</i>				
Developmental Delay				
Unspecified delay in development (Half-age delay or Informed Clinical Opinion in one or more area: adaptive, cognition, communication, physical, social emotional)	F81.9			

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd10data.com.

The International Classification of Diseases (ICD)-10 Coding System for Missouri First Steps
(Updated July 2018)

First Steps Eligibility Reasons And Descriptions (continued)		ICD 10 Codes		
Blind / Visually Impaired				
Blindness, both eyes, impairment level not further specified	H54.0			
Better eye: total vision impairment; lesser eye: total vision impairment	H54.0			
Better eye: near-total vision impairment; lesser eye: not further specified	H54.10			
Better eye: near-total vision impairment; lesser eye: total vision impairment	H54.10			
Better eye: near-total vision impairment; lesser eye: near-total vision impairment	H54.10			
Better eye: profound vision impairment; lesser eye: not further specified	H54.10			
Better eye: profound vision impairment; lesser eye: total vision impairment	H54.10			
Better eye: profound vision impairment; lesser eye: near-total vision impairment	H54.10			
Better eye: profound vision impairment; lesser eye: profound vision impairment	H54.10			
Moderate or severe impairment, better eye, impairment level not further specified (blindness, one eye; low vision other eye)	H54.10			
Better eye: severe vision impairment; lesser eye: blind, not further specified	H54.10			
Better eye: severe vision impairment; lesser eye: total vision impairment	H54.10			
Better eye: severe vision impairment; lesser eye: near-total vision impairment	H54.10			
Better eye: severe vision impairment; lesser eye: profound vision impairment	H54.10			
Better eye: moderate vision impairment; lesser eye: blind, not further specified	H54.10			
Better eye: moderate vision impairment; lesser eye: total vision impairment	H54.10			
Better eye: moderate vision impairment; lesser eye: near-total vision impairment	H54.10			
Better eye: moderate vision impairment; lesser eye: profound vision impairment	H54.10			
Moderate or severe impairment, both eyes, impairment level not further specified (low vision, both eyes, not otherwise specified)	H54.2			
Better eye: severe vision impairment; lesser eye; impairment not further specified	H54.10			
Better eye: severe vision impairment; lesser eye: severe vision impairment	H54.10			
Deaf / Hard of Hearing				
Conductive hearing loss, unspecified	H90.2			

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd10data.com.

The International Classification of Diseases (ICD)-10 Coding System for Missouri First Steps
(Updated July 2018)

First Steps Eligibility Reasons And Descriptions (continued)		ICD 10 Codes		
Deaf / Hard of Hearing, continued				
Conductive hearing loss, external ear	H90.2			
Conductive hearing loss, tympanic membrane	H90.2			
Conductive hearing loss, middle ear	H90.2			
Conductive hearing loss, inner ear	H90.2			
Conductive hearing loss, unilateral	H90.11 (Conductive hearing loss, unilateral, RIGHT ear, with unrestrictive hearing on the contralateral side)	H90.12 (Conductive hearing loss, unilateral, LEFT ear, with unrestrictive hearing on the contralateral side)		
Conductive hearing loss, bilateral	H90.0			
Conductive hearing loss of combined types	H90.2			
Sensorineural hearing loss, unspecified	H90.5			
Sensory hearing loss, bilateral	H90.3			
Neural hearing loss, bilateral	H90.3			
Neural hearing loss, unilateral	H90.41 (Sensorineural hearing loss, unilateral, RIGHT ear, with unrestricted hearing on the contralateral side)	H90.42 (Sensorineural hearing loss, unilateral, LEFT ear, with unrestricted hearing on the contralateral side)		
Central hearing loss	H90.5			
Sensorineural hearing loss, unilateral	H90.41 (Sensorineural hearing loss, unilateral, RIGHT ear, with unrestricted hearing on the contralateral side)	H90.42 (Sensorineural hearing loss, unilateral, LEFT ear, with unrestricted hearing on the contralateral side)		
Sensorineural hearing loss, asymmetrical	H90.5			
Sensory hearing loss, unilateral	H90.41 (Sensorineural hearing loss, unilateral, RIGHT ear, with unrestricted hearing on the contralateral side)	H90.42 (Sensorineural hearing loss, unilateral, LEFT ear, with unrestricted hearing on the contralateral side)		
Sensorineural hearing loss, bilateral (sensorineural hearing loss of combined types)	H90.3			
Mixed hearing loss, unspecified	H90.8			

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd10data.com.

The International Classification of Diseases (ICD)-10 Coding System for Missouri First Steps
(Updated July 2018)

First Steps Eligibility Reasons And Descriptions (continued)	ICD 10 Codes			
Deaf / Hard of Hearing, continued				
Mixed hearing loss, unilateral	H90.71 (Mixed conductive & sensorineural hearing loss, unilateral, RIGHT ear, with unrestrictive hearing on the contralateral side)	H90.72 (Mixed conductive & sensorineural hearing loss, unilateral, LEFT ear, with unrestrictive hearing on the contralateral side)		
Mixed hearing loss, bilateral	H90.6			
Unspecified Hearing Loss	H91.90			

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd10data.com.