

ICD-9 to ICD-10 Conversion Coding System for Missouri First Steps
(January 2014)

First Steps Eligibility Reasons And Descriptions	ICD-9 Code	ICD-10 Codes...			
Newborn Conditions					
Low birth weight (< 500 grams)	V21.31	P07.01			
Low birth weight (500 – 999 grams)	V21.32	P07.02 (500-749 Grams)	P07.03 (750-999 Grams)		
Low birth weight (1000 – 1499 grams)	V21.33	P07.14 (1000-1249 Grams)	P07.15 (1250-1499 Grams)		
Diagnosed Conditions					
Autism Spectrum Disorders					
Autism	299.00	F84.0			
- Pervasive Development Disorder (Not Otherwise Specified)	299.90	F84.9			
Chromosomal Trisomy					
Down syndrome (Trisomy 21)	758.0	Q90.9			
Edwards Syndrome (Trisomy 18)	758.2	Q91.3			
Patau Syndrome (Trisomy 13)	758.1	Q91.7			
Craniofacial Anomalies					
Cleft Lip	749.10	Q36.9 (Unspecified)			
Cleft Palate	749.00	Q35.9 (Unspecified)			
Cleft Lip/Palate	749.20	Q37.9 (Unspecified cleft palate with unilateral cleft lip)			
Craniofacial Anomalies	756.0	Q75.9 (Unspecified)			
Disorders of the Nervous System					
Cerebral Palsy	343.9	G80.9			
Encephalopathy	348.30	G93.40 (Encephalopathy, Unspecified)			

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis.
Additional ICD-10 Codes can be found at www.icd9data.com or www.icd10data.com.

ICD-9 to ICD-10 Conversion Coding System for Missouri First Steps
(January 2014)

First Steps Eligibility Reasons And Descriptions (continued...)	ICD-9 Code	ICD-10 Codes...			
Encephalopathy	348.31	G93.41 (Encephalopathy, Metabolic)			
Encephalopathy	348.39	G93.49 (Other Encephalopathy)			
Epilepsy	345.91	G40.911 (Epilepsy, unspecified, intractable with status epilepticus)	G40.919 (Epilepsy, unspecified, intractable without status epilepticus)		
Hydrocephalus	742.3	Q03.9 (Congenital Hydrocephalus, unspecified)	Q03.0 (Congenital Hydrocephalus, malformations of aqueduct of Sylvius)	Q03.1 (Congenital Hydrocephalus, atresia of foramina of Magendie & Luschka)	Q03.8 (Congenital Hydrocephalus, other)
Infantile Spasms (Epileptic Spasms)	345.60	G40.821 (Not intractable, with status epilepticus)	G40.822 (Not intractable, without status epilepticus)		
Infantile Spasms	345.61	G40.823 (Intractable, with status epilepticus)	G40.824 (Intractable, without status epilepticus)		
Macrocephalus	756.0	Q75.3			
Microcephalus	742.1	Q02			
Periventricular Leukomalacia	779.7	P91.2			
Seizure Disorder	780.39	R56.9			
Shaken Baby Syndrome	995.55	T74.4XXA (Initial encounter)	T74.4XXD (Subsequent encounter)	T74.4XXS (Sequel)	
Spina Bifida (occulta)	756.17	Q76.0			
Spina Bifida (with hydrocephalus)	741.00	Q05.4 (Unspecified region)			

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd9data.com or www.icd10data.com.

ICD-9 to ICD-10 Conversion Coding System for Missouri First Steps
(January 2014)

First Steps Eligibility Reasons And Descriptions (continued...)	ICD-9 Code	ICD-10 Codes...			
Spina Bifida (without mention of hydrocephalus)	741.90	Q05.9 (Unspecified region)			
Stroke-Ischemia (Cerebral embolism without mention of cerebral infarction)	434.10	I66.9 (Unspecified cerebral artery)	I66.09 (Unspecified middle cerebral artery)	I66.19 (Unspecified anterior cerebral artery)	I66.29 (Unspecified posterior cerebral artery)
Stroke-Ischemia (Cerebral embolism with cerebral infarction)	434.11	I63.40 (Unspecified cerebral artery)			
Stroke-Hemorrhage (Cerebral artery occlusion, unspecified, without mention of cerebral infarction)	434.90	I66.9 (Unspecified cerebral artery)			
Stroke-Hemorrhage (Cerebral artery occlusion, unspecified, with cerebral infarction)	434.91	I63.50 (Unspecified cerebral artery)			
Traumatic Brain Injury	V15.52	Z87.820			
Disorders Related to Exposure to Toxic Substances					
Fetal Alcohol Syndrome	760.71	Q86.0 (Fetal alcohol syndrome-dysmorphic)	P04.3 (Newborn-suspected to be, affected by maternal use of alcohol)		
Lead Poisoning-Toxic effect of ...					
-Inorganic Lead Compounds	984.0	T56.0X1A (Accidental, initial encounter)	T56.0X2A (Intentional self-harm, initial encounter)	T56.0X3A (Assault, initial encounter)	T56.0X4A (Undetermined, initial encounter)
-Organic Lead Compounds	984.1	T56.0X1A (Accidental, initial encounter)	T56.0X2A (Intentional self-harm, initial encounter)	T56.0X3A (Assault, initial encounter)	T56.0X4A (Undetermined, initial encounter)
-Other Lead Compounds	984.8	T56.0X1A (Accidental, initial encounter)	T56.0X2A (Intentional self-harm, initial encounter)	T56.0X3A (Assault, initial encounter)	T56.0X4A (Undetermined, initial encounter)

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd9data.com or www.icd10data.com.

ICD-9 to ICD-10 Conversion Coding System for Missouri First Steps
(January 2014)

First Steps Eligibility Reasons And Descriptions (continued...)	ICD-9 Code	ICD-10 Codes...			
-Unspecified Lead Compounds	984.9	T56.0X1A (Accidental, initial encounter)	T56.0X2A (Intentional self-harm, initial encounter)	T56.0X3A (Assault, initial encounter)	T56.0X4A (Undetermined, initial encounter)
Infections/Viruses/Bacteria					
Acquired Immune Deficiency Syndrome (AIDS)	042	B20			
Cytomegalovirus	771.1	P35.1			
Herpes	771.2	P35.2			
Rubella	771.0	P35.0			
Syphilis-unspecified	090.9	A50.9			
Toxoplasmosis-unspecified	130.9	B58.9			
Other Chromosomal Abnormalities					
Angelman Syndrome*	759.89	Q93.5			
Cri-du-chat syndrome	758.31	Q93.4			
DiGeorge Syndrome	279.11	D82.1			
Fragile X Syndrome	759.83	Q99.2			
Triple X Syndrome	758.81	Q97.0			
Williams Syndrome	758.9	Q99.9			
Other Genetic/ Congenital/ Metabolic Conditions					
Cyanotic congenital heart disease	746.9	Q20.9 (Congenital malformation of cardiac chambers & connections, unspecified)	Q24.9 (Congenital malformation of heart, unspecified)		
Hypoplastic Left Heart Syndrome	746.7	Q23.4			
Muscular Dystrophy – Duchenne Type	359.1	G71.0			
Noonan Syndrome*	759.89	Q87.1			
Phenylketonuria (PKU)	270.1	E70.0			
Pierre Robin	756.0	Q87.0			
Tetralogy of Fallot	745.2	Q21.3			

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd9data.com or www.icd10data.com.

ICD-9 to ICD-10 Conversion Coding System for Missouri First Steps
(January 2014)

First Steps Eligibility Reasons And Descriptions (continued...)	ICD-9 Code	ICD-10 Codes...			
Sensory Impairments					
Blind / Visually Impaired - <i>see table on pages 5-7</i>					
Deaf / Hard of Hearing – <i>see table on pages 7-8</i>					
Developmental Delay					
Unspecified delay in development (Half-age delay or Informed Clinical Opinion in one or more area)	315.9	F81.9			
Blind / Visually Impaired	ICD-9 Code	ICD-10 Codes...			
Blindness, both eyes, impairment level not further specified	369.00	H54.0			
Better eye: total vision impairment; lesser eye: total vision impairment	369.01	H54.0			
Better eye: near-total vision impairment; lesser eye: not further specified	369.02	H54.10			
Better eye: near-total vision impairment; lesser eye: total vision impairment	369.03	H54.10			
Better eye: near-total vision impairment; lesser eye: near-total vision impairment	369.04	H54.10			
Better eye: profound vision impairment; lesser eye: not further specified	369.05	H54.10			
Better eye: profound vision impairment; lesser eye: total vision impairment	369.06	H54.10			
Better eye: profound vision impairment; lesser eye: near-total	369.07	H54.10			

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child’s primary diagnosis. Additional ICD-10 Codes can be found at www.icd9data.com or www.icd10data.com.

ICD-9 to ICD-10 Conversion Coding System for Missouri First Steps
(January 2014)

vision impairment					
Better eye: profound vision impairment; lesser eye: profound vision impairment	369.08	H54.10			
Moderate or severe impairment, better eye, impairment level not further specified (blindness, one eye; low vision other eye)	369.10	H54.10			
Better eye: severe vision impairment; lesser eye: blind, not further specified	369.11	H54.10			
Better eye: severe vision impairment; lesser eye: total vision impairment	369.12	H54.10			
Better eye: severe vision impairment; lesser eye: near-total vision impairment	369.13	H54.10			
Better eye: severe vision impairment; lesser eye: profound vision impairment	369.14	H54.10			
Better eye: moderate vision impairment; lesser eye: blind, not further specified	369.15	H54.10			
Better eye: moderate vision impairment; lesser eye: total vision impairment	369.16	H54.10			
Better eye: moderate vision impairment; lesser eye: near-total vision impairment	369.17	H54.10			
Better eye: moderate vision impairment; lesser eye: profound vision impairment	369.18	H54.10			
Moderate or severe impairment, both eyes, impairment level not further specified (low vision, both eyes, not otherwise specified)	369.20	H54.2			
Better eye: severe vision impairment; lesser eye; impairment not further	369.21	H54.10			

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd9data.com or www.icd10data.com.

ICD-9 to ICD-10 Conversion Coding System for Missouri First Steps
(January 2014)

specified					
Better eye: severe vision impairment; lesser eye: severe vision impairment	369.22	H54.10			
Deaf / Hard of Hearing	ICD-9 Code	ICD-10 Codes...			
Conductive hearing loss, unspecified	389.00	H90.2			
Conductive hearing loss, external ear	389.01	H90.2			
Conductive hearing loss, tympanic membrane	389.02	H90.2			
Conductive hearing loss, middle ear	389.03	H90.2			
Conductive hearing loss, inner ear	389.04	H90.2			
Conductive hearing loss, unilateral	389.05	H90.11 (Conductive hearing loss, unilateral, RIGHT ear, with unrestricted hearing on the contralateral side)	H90.12 (Conductive hearing loss, unilateral, LEFT ear, with unrestricted hearing on the contralateral side)		
Conductive hearing loss, bilateral	389.06	H90.0			
Conductive hearing loss of combined types	389.08	H90.2			
Sensorineural hearing loss, unspecified	389.10	H90.5			
Sensory hearing loss, bilateral	389.11	H90.3			
Neural hearing loss, bilateral	389.12	H90.3			
Neural hearing loss, unilateral	389.13	H90.41 (Sensorineural hearing loss, unilateral, RIGHT ear, with unrestricted hearing on the contralateral side)	H90.42 (Sensorineural hearing loss, unilateral, LEFT ear, with unrestricted hearing on the contralateral side)		
Central hearing loss	389.14	H90.5			
Sensorineural hearing loss, unilateral	389.15	H90.41 (Sensorineural hearing loss, unilateral, RIGHT ear, with unrestricted hearing on the contralateral side)	H90.42 (Sensorineural hearing loss, unilateral, LEFT ear, with unrestricted hearing on the contralateral side)		

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd9data.com or www.icd10data.com.

ICD-9 to ICD-10 Conversion Coding System for Missouri First Steps
(January 2014)

Sensorineural hearing loss, asymmetrical	389.16	H90.5			
Sensory hearing loss, unilateral	389.17	H90.41 (Sensorineural hearing loss, unilateral, RIGHT ear, with unrestricted hearing on the contralateral side)	H90.42 (Sensorineural hearing loss, unilateral, LEFT ear, with unrestricted hearing on the contralateral side)		
Sensorineural hearing loss, bilateral (sensorineural hearing loss of combined types)	389.18	H90.3			
Mixed hearing loss, unspecified	389.20	H90.8			
Mixed hearing loss, unilateral	389.21	H90.71 (Mixed conductive & sensorineural hearing loss, unilateral, RIGHT ear, with unrestrictive hearing on the contralateral side)	H90.72 (Mixed conductive & sensorineural hearing loss, unilateral, LEFT ear, with unrestrictive hearing on the contralateral side)		
Mixed hearing loss, bilateral	389.22	H90.6			
Unspecified Hearing Loss	389.9	H91.90			

This is **not** an exhaustive list of conditions and codes. Verify all codes are billable codes before entering it into WebSPOE as a child's primary diagnosis. Additional ICD-10 Codes can be found at www.icd9data.com or www.icd10data.com.